10

receive sample ⌐ 12

mix, aspirate, and introduce
into fluidics system ⌐ 14

stain sample ⌐ 16

pass sample through a flow cell ⌐ 18
and take images

receive image data ⌐ 20

sort image data based on ⌐ 22
size and intensity

visually display sorted data ⌐ 24

FIG. 1

Laboratory Information System (LIS) 38

Computer 36

30

37

Sampler 32

Optional Automatic Rack Transfer

Analyzer unit 34

Specimen Rack

40

FIG. 2

34

48

46

42

44

40

FIG. 3

FIG. 4

SPA SIC 101-5004
SPA Opto Board 101-5052
Alternate Discrete SPA Opto Detection
Bd Vent Sensor
Crash Detector 101-5006
DC Motor / Encoder
DC Motor / Encoder
ESN Bd

Fluid System Valve SIC 101-5045
Stain Valve
Len INDX 3 way
ASV Vlv — Len LHDA 3 way
AAV Vlv — LHDA 3 way
SBV Vlv — UFVA 3 way
CPV Vlv — UFVA 3 way
DRV Vlv — UFVA 3 way (hq)
PBV Vlv — Len UFVA 3 way
EBV Vlv — UFVA 3 way

Pump Assy — DC Motor / Encoder
Sheath Pump — Pump SIC 101-5010
Evacuation Pump — Pump SIC 101-5010
Canula Pump — Pump SIC 101-5010
DC Motor / Encoder

STM SIC 101-5014
Specimen Tube Detector Board 101-5034
5-bit Carrier ID Reflective Optos

DC Diaphragm Pump — Air Pump
DC Diaphragm Pump — Waste Pump
DC Diaphragm Pump — Rinse Pump
spare pump

Discharge Side Meter
Measurement Side Meter
Transfer Side Meter
Return Side Meter
Discharge Back Side Sensor
Discharge Front Side Sensor
Measurement Side Lower Position Check of Port
Initial Position of Return Side

DC Motor — 78a
Stepper Motor — 76a
DC Motor — 78b
Stepper Motor — 76b
QFZA11 Reflective — 40
QFZA11 Reflective
1A S1H Slot
1A S1H Slot

Antng Sampler PWA1
Antng Sampler PWA3
Sampler PWA3
IA S1H Slot
Initial Position of Measurement Side

Waste Well Electrode Bd 101-5047
FITD 101-5041
Waste Well Liquid Level Sensor Assy

Do-All SIC 101-5044
spare +24V out
spare +24V out
SPV valve — Len LHDA 3 way
spare +5V input
spare +5V input
spare +5V input

Pressure Xdcr ctrl bd 101-5016 — Air Bottle Pressure
Pressure Xdcr ctrl bd 101-5016 — Stain Bottle Pressure
Pressure Xdcr ctrl bd 101-5016 (spare part)
(spare part)
FITD 101-5041 — Stain low
FITD 101-5041 — Stain out
Specimen

Power System
Rear panel
Power plug, switch, filter, and fuse
AC line cord (external to SM plug)
These components external to SM package
Video data to frame grabber

DC Power Supply
Strobe Power Supply
Standby Switch
Power SIC 101-5020
Strobe Trigger Unit
Strobe Bulb
UNIQ Camera — 84
OBA Camera
Optical Bench SIC 101-5011
Elvw Cal ESN tether
OBA Assy ESN tether
Focus position
Rotary Stepper Motor — 86

Frame Leg

Bar Code Reader ESN tether
SM Status Board 101-5032
Bar Code Reader
These components external to SM package
RS-232 Cable to SM Host
Cable to upstream unit
Cable to downstream unit
Sheath Empty Switch Assembly
Sheath ESN 101-5048
Sheath Empty Detector Assembly
Rear Panel SIC 101-5030
Rear panel

SMCS Backplane 101-5003

Card Cage Fan
Main Chassis Fan
HLCB 101-5000 bd addr 0 — 50
MSCB #1 101-5001 bd addr 1 — 50
MSCB #2 101-5001 bd addr 2 — 56
DCVB #1 101-5003 bd addr 3 — 56
DCVB #2 101-5003 bd addr 4 — 56
MSCB #3 101-5001 bd addr 5 — 50
MSCB #4 101-5001 bd addr 6 — 50
SSMB #1 101-5007 bd addr 7 — 52
SSMB #2 101-5007 bd addr 8 — 52

SMCS Cardcage

CONNECTOR AND CABLE LEGEND:

NOTES:
1. Two-point and other tot-only connectors not shown.
2. "SIC" means "Signal Interface Concentrator." The SIC is usually a circuit board with multiple connectors and hardly used most.
3. Partial cable per numbers are shown in "Drawing No./xx"

Power Supply ESN tether

100

Printer

LIS
(optional)

chemistry*

chemistry analyzer

reports

work orders,
chemistry*

chemistry*

images,
other specimen data

control & data

Analysis
Processor PC

Windows 2000 PC.
Responsibilities:
• User Interface
• LIS and/or chemistry
interface(s)
• Specimen editing
• Auto-analyte
recognition
• Result reporting and
archiving

56a

Sediment
Module Host PC

Windows 2000 PC.
Responsibilities:
• Hard real time image
acquisition
• Softer real time micro
analyzer control

56b

56

52

54

96

FIG. 5

600

602

604

606

L1	L2	Begin	End	Comment
R	H	1	14	Reset third level controllers
1	6	15	99	Resume running racks
G	O	18	99	Run racks under host control
S	S	395	434	Service Specimen (run tubes w/o host PC)
0	E	100	103	Clear Rack
R	Q	104	148	Run QC Control
1	7	149	335	Run autofocus control
W	8	336	349	Wait for command, button, rack or timeout
Z	Z	393	394	Sleep
P	I	350	366	Irisolve Clean
W	S	435	439	Short Wakeup
W	M	440	444	Medium Wakeup
W	L	445	449	Long Wakeup
S	D	450	453	Shutdown
W	A	350	392	Wash with bleach
D	L	454	481	run Diluent
K	L	482	485	KilL (wait for power off)
B	X	486	487	Background Exit Error

FIG. 6

700
RESET

702

IDLE
StateNumber = 10

BeginRunSequence

NoNextState

706

@ELSE

WaitForStateDone

execute
current state
—————
current state
= next state

704

708

GoToNextState

FIG. 7

Fig. 8A

State Index	State Description	SPAcmd	FBAcmd	STMcmd	OBAcmd	SPAstat	FBAstat	STMstat	OBAstat	ShfTest	ToSM	Tvalue	Tfunc	Sens	STet	SMsk	End	Bran	Dest	Translated Parameters
0	Reset light	0X000	RE	RE	RE	0X00	0XFF	0X00	0XFF	0X0000		0X0007	0X43	0X0032	0X01	0X03	0X0000	0X0101	0X5738	0X01, 0X03, 0X0000, 0X0101, 0X5738),
1		RE	RE	RE	RE	0X32	0XFF	0X00	0XFF	0X0000		0X0000	0X00	0X0000	0X00		0X0000	0X0000	0X0000	0XCE4E, 0X0000, 0X0000),
2		S1		0X0000	0X0000	0X00	0X00	0X00	0X00	0X0000		0X0000	0X00	0X0000	0X00		0X0002	0X0002	0X0000	0x00, 0x0002, 0x0000, 0X0000),
3		0X0000	0X0000	0X0000	0X0000	0XFF	0XFF	0X00	0X00	0X0000		0x0006	0x42	0xc033	0x01	0x01	0X8303	0X0000	0X0000	0x01, 0x01, 0X8303, 0X0000, 0X0000),
4		S0	0X0000	0X0000	0X0000	0X33	0X00	0X00	0X00	0X0000		0X0000	0x00	0X0000	0X00		0X0002	0X0002	0X0000	0x00, 0x0002, 0X0000, 0X0000),
5		0X0000	0X0000	0X0000	0X0000	0XFF	0X00	0X00	0X00	0X0000		0X0000	0X00	0X0032	0x80	0x80	0X8001	0X0001	8	0x00, 0x80, 0X8001, 0X0001, 8),
6		0X0000	0X0000	0X0000	0X0000	0X00	0X00	0X00	0X00	0X0000		0X0000	0X00	0X0000						
7		0X0000	0X0000	0X0000	0X0000	0X00	0X00	0X00	0X00	0X0000	0x1F	0x0000	0X00	0X0000	0x00	0x00	0x0000	0x0101	11	0x00, 0x00, 0x0000, 0x0101, 11),
8		0X0000	0X0000	0X0000	0X0000	0X00	0X00	0X00	0X00	0X0000		0x0000	0X00	0X0032	0x40	0x40	0x8001	0x0001	10	0x00, 0x40, 0X8001, 0X0001, 10),
9		0X0000	0X0000	0X0000	0X0000	0X00	0X00	0X00	0X00	0X0000	0x20	0x0000	0X00	0X0000	0x00	0x00	0x0000	0x0101	11	0x00, 0x00, 0x0000, 0x0101, 11),
10		PH	HS	CR	0X0000	0XFF	0x21	0X00	0X00	0X0000	0x21	0x0009	0x44	0xc033	0X00	0X00	0X0000	0x0101	0x3045	0x00, 0x00, 0x0000, 0x0101, 0x3045),
11		0X0000	0X0000	0X0000	0X0000	0X00	0X00	0X54	0X00	0X0000		0x0000	0X00	0X0000	0X00	0X00	0X005F	0X0000	0X0000	0x00, 0x00, 0X005F, 0X0000, 0X0000),
12		0X0000	0X0000	0X0000	0X0000	0XFF	0X00	0X46	0X00	0X0000		0X0000	0X00	0X0000	0X00	0X00	0X001F	0X001F	0X0000	0x00, 0x00, 0X001F, 0X0000, 0X0000),
13		0X0000	0X0000	0X0000	0X0000	0X00	0X00	0X00	0X00	0X0000		0X0000	0X00	0X0000	0X00	0X00	0X001F	0X001F	0X0000	0x00, 0x00, 0X001F, 0X0000, 0X0000),
14		0X0000	0X0000	0X0000	0X0000	0X00	0X00	0X00	0X00	0X0000		0X0000	0X00	0X0000	0X00	0X00	0X001F	0X001F	0X0000	0x00, 0x00, 0X001F, 0X0000, 0X0000),
15		0X0000	0X0000	BC	0X0000	0X00	0X00	0X44	0X00	0X0000		0X000E	0X44	0X6000	0X09	0X09	0x0101	0X0000	0X0000	0x09, 0x00, 0x0101, 0X0000, 0X0000),
16		0X0000	0X0000	0X0000	0X0000	0X44	0X00	0X00	0X00	0X0000		0X0000	0X44	0X0000	0X00	0X00	0X001F	0X001F	0X0000	0x00, 0x00, 0X001F, 0X0000, 0X0000),
17		0X0000	0X0000	0X0000	0X0000	0X00	0X00	0X00	0X00	0X0000		0X0000	0X00	0X0000	0X00	0X00	0x0101	0x0101	42	0x00, 0x00, 0x0000, 0x0101, 42),
18		0X0000	0X0000	0X0000	0X0000	0X00	0X00	0X00	0X00	0X0000	0X82	0X0000	0X00	0X6001	0X11	0X00	0X0101	0X0000	0X0000	0x11, 0X00, 0X0101, 0X0000, 0X0000),
19		0X0000	0X0000	0X0000	0X0000	0X00	0X00	0X00	0X00	0X3944		0X000F	0X44	0x6001	0x11	0X00	0X001F	0X001F	0X0000	0x11, 0X00, 0X001F, 0X0000, 0X0000),
20		RE	RE	RE	RE	0XFF	0X00	0X00	0XFF	0X3030		0X0010	0X44	0X6000	0X11	0X00	0X0101	0X0020	98	0x11, 0X00, 0X0000, 0X0101, 0X0020, 98),
21	Reset HLG	0X0000	0X0000	0X0000	0X0000	0X00	0X00	0X00	0X00	0X0000		0X0000	0X00	0XCA4A	0X00	0X00	0XCA4A	0X0000	0X0000	0x11, 0X00, 0XCA4A, 0X0000, 0X0000),
22		0X0000	0X0000	IC	0X0000	0X00	0X00	0X00	0X00	0X0000		0X0000	0X00	0X6000	0X00	0X00	0x0101	0x0101	98	0x11, 0X00, 0X0101, 0X0000, 0X0000),
23		0X0000	0X0000	0X0000	0X0000	0X00	0X00	0X00	0X00	0X0000		0X0000	0X00	0X0000	0X00	0X00	0x0101	0x0008	28	0x00, 0x00, 0x0101, 0x0008, 28),
24		0X0000	0X0000	0X0000	0X0000	0X00	0X00	0X00	0X00	0X0000		0X0000	0X00	0X0000	0X00	0X00	0x0101	0x0008	98	0x00, 0x00, 0x0101, 0x0008, 98),
25		0X0000	0X0000	0X0000	0X0000	0X00	0X00	0X00	0X00	0X0000		0X0000	0X00	0X0000	0X00	0X00	0x0000	0x0101	23	0x00, 0x00, 0x0000, 0x0101, 23),
26		0X0000	0X0000	0X0000	0X0000	0X00	0X00	0XFF	0X00	0X0000		0X0000	0X00	0X6000	0X09	0X00	0X005F	0X0000	0X0000	0x09, 0x00, 0X005F, 0X0000, 0X0000),
27		S1	0X0000	0X0000	0X0000	0X32	0X00	0X00	0X00	0X0000		0X0000	0X00	0X0000	0X00	0X00	0X0002	0X0002	0X0000	0x00, 0x00, 0X0002, 0X0000, 0X0000),
28		0X0000	0X0000	0X0000	0X0000	0XFF	0X00	0X00	0X00	0X0000		0x0006	0x42	0xc033	0x01	0x01	0X8303	0X0000	0X0000	0x01, 0x00, 0X8303, 0X0000, 0X0000),
29		S0	0X0000	0X0000	0X0000	0X33	0X00	0X00	0X00	0X0000		0X0000	0x00	0X0000	0X00	0X00	0X0002	0X0002	0X0000	0x00, 0x00, 0X0002, 0X0000, 0X0000),
30		0X0000	0X0000	0X0000	0X0000	0XFF	0X00	0X00	0X00	0X0000		0X0000	0X00	0X0000	0x80	0x80	0X8001	0X0001	0X0000	0x00, 0x80, 0X8001, 0X0001, 33),
31		0X0000	0X0000	0X0000	0X0000	0X00	0X00	0X00	0X00	0X0000		0X0000	0X00	0X0032	0X00	0X00	0X0000	0X0001	33	0x00, 0x60, 0X8001, 0X0001, 33),
32		0X0000	0X0000	0X0000	0X0000	0XFF	0X00	0X00	0X00	0X0000	0x1F	0x0011	0x44	0X0032	0X00	0X00	0x0101	0x0101	36	0x00, 0x00, 0x0000, 0x0101, 36),
33		0X0000	0X0000	0X0000	0X0000	0X00	0X00	0X00	0X00	0X0000		0x0012	0x44	0X0000	0x40	0x40	0x8001	0x8001	35	0x00, 0x40, 0X8001, 0X0001, 35),
34		0X0000	0X0000	0X0000	0X0000	0X00	0X00	0X00	0X00	0X0000	0x20	0x0013	0x44	0X0032	0X00	0X00	0x0101	0x0101	36	0x00, 0x00, 0x0000, 0x0101, 36),
35		0X0000	0X0000	0X0000	0X0000	0X00	0X00	0X08	0X00	0X0000	0x21	0x0014	0x44	0X0000	0X00	0X00	0x0101	0x0101	0x3045	0x00, 0x00, 0x0000, 0x0101, 0x3045),
36		PH	HC	M1	0X0000	0X00	0X00	0X31	0X00	0X0000		0x0015	0x44	0X0000	0X00	0X00	0X0101	0X0101	0X0000	0x00, 0x00, 0X0101, 0X0000, 0X0000),
37		0X0000	0X0000	0X0000	0X0000	0X00	0X00	0X39	0X00	0X0000		0X0000	0x44	0X0000	0X00	0X00	0X001F	0X001F	0X0000	0x00, 0x00, 0X001F, 0X0000, 0X0000),
38		0X0000	0X0000	0X070A	0X0000	0X00	0X00	0X00	0X00	0X0000		0x0016	0x44	0X0000	0X00	0X00	0X0101	0X0008	40	0x00, 0x00, 0X0101, 0x0008, 40),
39		0X0000	0X0000	0X0709	0X0000	0X00	0X00	0X1D	0X00	0X0000		0x0017	0x44	0X0000	0X00	0X00	0X0101	0X0008	94	0x00, 0x00, 0X0101, 0x0008, 94),
40		0X0000	0X0000	0X0707	0X0000	0X00	0X00	0X00	0X00	0X0000		0X0000	0x44	0X0000	0X00	0X00	0X001F	0X0101	37	0x00, 0x00, 0X001F, 0X0101, 37),
41		0X0000	0X0000	MN	0X0000	0X00	0X00	0X32	0X00	0X0000	0x36	0X0000	0X00	0X0000	0X00	0X00	0X8EDE	0X0000	0X0000	0x00, 0x00, 0X8EDE, 0X0000, 0X0000),
42		0X0000	0X0000	0X0000	0X0000	0X00	0X00	0X00	0X00	0X0000	0x32	0X0000	0X00	0X0000	0X00	0X00	0X001F	0X001F	0X0000	0x00, 0x00, 0X001F, 0X0000, 0X0000),
43		PH	0X0000	0X0000	0X0000	0X00	0X00	0X00	0X00	0X0000		0X0000	0x44	0X0000	0X00	0X00	0X0101	0X0008	81	0x00, 0x00, 0X0101, 0X0008, 81),
44		0X0000	0X0000	0X0000	0X0000	0X00	0X00	0X00	0X00	0X0000		0x0014	0x44	0X0000	0X00	0X00	0X0101	0X0008	0x5251	0x00, 0x00, 0X0101, 0x0008, 0x5251),
45		0X0000	0X0000	0X0000	0X0000	0X00	0X00	0X00	0X00	0X0000		0x0015	0x44	0X0000	0X00	0X00	0X0101	0X0008	94	0x00, 0x00, 0X0101, 0x0008, 94),
46		0X0000	0X0000	0X0000	0X0000	0X00	0X00	0X00	0X00	0X3032	0x61	0x0017	0x44	0X0000	0X00	0X00	0X001F	0X001F	0X0000	0x00, 0x00, 0X001F, 0X0000, 0X0000),
47		0X0000	0X0000	0X0000	0X0000	0X00	0X00	0X00	0X00	0X3030		0X0000	0X00	0X0000	0X00	0X00	0X0101	0X0020	41	0x00, 0x00, 0X0101, 0X0020, 41),

State Index	State Description	SPAcmd	FBAcmd	STMcmd	OBAcmd	SPAstat	FBAstat	STMstat	OBAstat	SMTest	ToSM	Tvalue	Ttrunc	Sens	STst	SMsk	End	Bran	Dest	Translated Parameters
48	If SM replies "Z" branch to "b6" (Clear Rack)	0X0000	0X0000	0X0000	0X0000	0X00	0X00	0X00	0X00	0X2D32		0 0X0000	0X00	0X0000	0X00	0X00	0X0101	0X0020	0x3045	0X00, 0X00, 0X0101, 0X0020, 0X0000),
49	To test tube (initialize EP pump)	TT	0X0000	0X0000	0X0000	0x11	0x00	0X00	0X00	0X0000		0 0X0000	0X00	0X0000	0X00	0X00	0X001F	0X001F	0X0000	0X00, 0X00, 0X001F, 0X001F, 0X0000),
50	Wait for TT complete	0X0000	0X0000	0X0000	0X0000	0xFF	0x00	0X00	0X00	0x3338	0x37	0 0X0000	0X00	0X0000	0X00	0X00	0X001F	0X001F	0X0000	0x00, 0X00, 0X001F, 0X001F, 0X0000),
51	Wait for "image processing idle"	0X0000	0X0000	0X0000	0X0000	0x31	0x00	0X00	0X00	0X0000		0 0X0000	0X00	0X0000	0X00	0X00	0X001F	0X001F	0X0000	0x00, 0X00, 0X001F, 0X001F, 0X0000),
52	Start sheath for background capture	SB	0X0000	0X0000	0X0000	0xFF	0x00	0X00	0X00	0X0000		0 0X0000	0X00	0X0000	0X00	0X00	0X001F	0X001F	0X0000	0x00, 0X00, 0X001F, 0X001F, 0X0000),
53	Wait for SB complete	0X0000	0X0000	0X0000	0X0000	0x00	0x00	0X00	0X00	0X0000		0 0X0000	0X00	0X0000	0X00	0X00	0X0000	0X0000	0X0000	0x00, 0X00, 0X0000, 0x0000, 0X0000),
54	Timer delay before capture	0X0000				0x00		0X00	0x00	0X0000		0 0X0018	0x42	0X0000	0X00	0x00				
55	Capture background and wait for frame processing complete (future wait for frame capture complete) or short sample detector.	0X0000	0X0000	0X0000	0X0000	0x00	0x00	0X00	0x00	0X3034	0X83	0x0000	0x00	0x0032	0x00	0x02	0x0010	0x0010	57	57 (0x00, 0x02, 0x0001, 0x0010, 57),
56	Send "Short Sample" signal and wait for frame processing complete (future wait for frame capture complete) if exceeds 10 secs - goto BX.	0X0000	0X0000	0X0000	0X0000	0x34	0x00	0X00	0X00	0X3034	0x31	0X0019	0x43	0x0000	0x00	0x00	0x0010	0x0000	0x4258	0x00, 0x00, 0x0010, 0x001F, 0x4258),
57	Turn off EP pump on SPA	EB	0X0000	0X0000	0X0000	0xFF	0x00	0X00	0X00	0X0000		0X0000	0X00	0X0000	0X00	0X00	0x001F	0X001F	0X0000	0x00, 0X00, 0X00, 0X001F, 0X0000),
58	Wait for EB complete	0X0000	0X0000	0X0000	0X0000	0x00	0x00	0X00	0X00	0X0000		0X0000	0X00	0X0000	0X00	0X00	0X001F	0X001F	0X0000	0x00, 0X00, 0X00, 0X001F, 0X0000),
59	Move pipette down to aspirate position in test tube	TD	0X0000	0X0000	0X0000	0x13	0x00	0X00	0X00	0X0000		0X0000	0X00	0X0000	0X00	0X00	0x9212	0x9212	0X0000	0x00, 0X00, 0x9212, 0X0000, 0X0000),
60	Wait for TD complete and "image processing idle"	0X0000	RC	0X0000	0X0000	0xFF	0x00	0X00	0X00	0x3338	0x37	0X0000	0X00	0X0000	0X00	0X00	0X001F	0X001F	0X0000	0x00, 0X00, 0X001F, 0X0000, 0X0000),
61	Start aspiration for sample transfer	AS	RC	0X0000	0X0000	0x17	0x00	0X00	0X00	0X0000		0X0000	0X00	0X0000	0X00	0X00	0X001F	0X001F	0X0000	0x00, 0X00, 0x001F, 0X0000, 0X0000),
62	Wait for AS and RC complete	0X0000	0X0000	0X0000	0X0000	0xFF	0xFF	0X00	0X00	0X0000		0X0000	0X00	0X0000	0X00	0X00	0x8606	0x8606	0X0000	0x00, 0X00, 0x8606, 0X0000, 0X0000),
63	Timer delay before capture	0X0000	0X0000			0x00	0x00	0X00	0x00	0X0000		0 0x0092	0x42	0X0000	0X00	0x00	0X0000	0X0000	0X0000	0x00, 0X00, 0X0000, 0x0000, 0X0000),
64	Capture sample frames and wait for sample frame capture complete or short sample detector.	0X0000	0X0000	0X0000	0X0000	0x00	0x00	0X00	0x00	0X3036	0X85	0x0000	0x00	0x0032	0x00	0x02	0x0001	0x0001	66	66 (0x00, 0x02, 0x0001, 0x0010, 66),
65	Send "Short Sample" signal and wait for sample frame capture complete.	0X0000	0X0000	0X0000	0X0000	0x00	0x00	0X00	0X00	0X3036	0x31	0X0063	0x43	0X0000	0x00	0x00	0X0010	0X0000	0x4258	0X00, 0x00, 0X0010, 0x0000, 0X4258),
66	Turn off EP pump on SPA, SP pump on FBA	EB	EB	0X0000	0X0000	0x34	0x00	0X00	0X00	0X0000	0x36	0X0000	0X00	0X0000	0X00	0X00	0X001F	0X001F	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000),
67	Wait for EB's complete (SPA and FBA)	TW	0X0000	0X0000	0X0000	0xFF	0xFF	0X00	0X00	0X0000		0X0000	0X00	0X0000	0X00	0X00	0X8606	0X8606	0X0000	0X00, 0X00, 0X8606, 0X0000, 0X0000),
68	To Waste Well.	DB	0X0000	0X0000	0X0000	0x15	0x00	0X00	0X00	0X0000		0X0000	0X00	0X0000	0X00	0X00	0X001F	0X001F	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000),
69		0X0000	0X0000	0X0000	0X0000	0xFF	0xFF	0X00	0X00	0X0000		0X0000	0X00	0X0000	0X00	0X00	0X001F	0X001F	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000),
70		0X0000	0X0000	0X0000	0X0000	0x00	0x00	0X00	0X00	0X0000		0X0000	0X00	0x0033	0x01	0x01	0x0101	0x0101	73	73 (0x01, 0x0101, 0x0000, 0x001F, 73),
71	Test Sheath Full Sensor	0X0000	0X0000	0X0000	0X0000	0x00	0x25	0X00	0X00	0X0000		0X0000	0X00	0X0000	0x00	0x00	0x0000	0x001F	74	74 (0x00, 0x00, 0x0000, 0x001F, 74),
72	Turn On Rinse Pump and Rinse Pipetter	TR	RP	0X0000	0X0000	0x00	0x25	0X00	0X00	0X0000		0X0000	0X00	0X0000	0X00	0X00	0X001F	0X001F	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000),
73	Turn On Rinse Pump and Rinse Pipetter	TQ	RP	0X0000	0X0000	0xFF	0x00	0X00	0X00	0X0000		0X0000	0X00	0X0000	0X00	0X00	0X001F	0X001F	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000),
74		0X0000	0X0000	0X0000	0X0000	0xFF	0x00	0X00	0X00	0X0000		0X0000	0X00	0X0000	0X00	0X00	0X001F	0X001F	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000),
75		0X0000	0X0000	0X0000	0X0000	0x00	0xFF	0X00	0X00	0X0000		0X0000	0X00	0X0000	0X00	0X00	0X001F	0X001F	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000),
76	Clear Pipetter/Home CP and SP/Move to Next Tube	CP	HC	MN	0X0000	0X18	0X00	0X00	0X00	0X0000	0x36	0X0000	0X00	0X0000	0X00	0X00	0X001F	0X001F	42	42 (0X00, 0X00, 0X001F, 0X001F, 42),
77		0X0000	0X0000	0X0000	0X0000	0xFF	0xFF	0X00	0X00	0X0000		0X0000	0X00	0X0000	0X00	0X00	0X8606	0X0004	0X0000	0X00, 0X00, 0X0004, 0X0000, 0X0000),
78		0X0000	0X0000	0X0000	0X0000	0xFF	0xFF	0X00	0X00	0X0000		0X0000	0X00	0X0000	0X00	0X00	0X001F	0X001F	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000),
79		0X0000	0X0000	0X0000	0X0000	0x00	0x00	0XFF	0X00	0X0000		0X0000	0X00	0X0000	0X00	0X00	0X001F	0X001F	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000),
80	Send completion signal to host - branch to	0X0000	0X0000	0X0000	0X0000	0x00	0x00	0X00	0X00	0X0000	0X87	0X001B	0x44	0X0000	0X00	0X00	0X001F	0X0101	42	42 (0X00, 0X00, 0X001F, 0X0101, 42),
81	"Retrieve tube number"	0X0000	0X0000	0X0000	0X0000	0xFF	0xFF	0X00	0X00	0X0000	0X2F	0X001C	0x44	0X0000	0X00	0X00	0X001F	0X0004	0X0000	0X00, 0X00, 0X0004, 0X0000, 0X0000),
82	End Rack branch target	0X0000	0X0000	0X0000	0X0000	0x00	0x00	0X33	0X00	0X0000		0X001D	0x44	0X0000	0X00	0X00	0X001C	0X001F	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000),
83	Eject Rack	0X0000	0X0000	ER	0X0000	0xFF	0xFF	0X33	0X00	0X0000		0X0000	0X00	0x0033	0X00	0X00	0X001D	0X001F	27	27 (0X00, 0X00, 0X0000, 0x0101, 27),
84	Loop to PH1	SI	0X0000	0X0000	0X0000	0x32	0x00	0X00	0X00	0X0000	0x1F	0X0000	0X00	0X0000	0X00	0X00	0x0002	0x0101	27	27 (0X00, 0X00, 0x0002, 0x0101, 27),
85		0X0000	0X0000	0X0000	0X0000	0X00	0X00	0X00	0X00	0X0000	0x1F	0X0000	0X00	0X0000	0X00	0x01	0x8303	0X0000	0x01	0x01, 0x01, 0X3303, 0X0000, 0X0000),
86		0X0000	0X0000	0X0000	0X0000	0xFF	0X00	0X00	0X00	0X0000	0x20	0x0005	0x42	0x0033	0x01	0x01	0x0002	0X0002	0X0000	0x00, 0x00, 0x0002, 0x0000, 0X0000),
87	Turn off Sheath pump	SO	0X0000	0X0000	0X0000	0x33	0x00	0X00	0X00	0X0000		0X0000	0X00	0X0000	0X00	0X00	0x0002	0X0002	0X0000	0x00, 0X00, 0x0002, 0X0000, 0X0000),
88	Wait for HV complete	0X0000	0X0000	0X0000	0X0000	0xFF	0x00	0X00	0X00	0X0000		0X0000	0X00	0x0032	0X80	0x80	0x8001	0x8001	91	91 (0x00, 0x80, 0X8001, 0X0001, 91),
89	Test Sheath low sensor condition	0X0000	0X0000	0X0000	0X0000	0x00	0x00	0X00	0X00	0X0000		0X0000	0X00	0X0000	0X00	0X00	0X0000	0X0001	0X0000	0x00, 0X00, 0X0000, 0x0001, 91),
90		0X0000	0X0000	0X0000	0X0000	0x00	0x00	0X00	0X00	0X0000	0x1F	0X0000	0X00	0x0033	0x40	0x40	0x0000	0x0101	94	94 (0x00, 0x00, 0x0000, 0x0101, 94),
91		0X0000	0X0000	0X0000	0X0000	0x00	0x00	0X00	0X00	0X0000	0x1F	0X0000	0X00	0x0032	0x40	0x40	0x8001	0x8001	93	93 (0x00, 0x40, 0X8001, 0X0001, 93),
92		0X0000	0X0000	0X0000	0X0000	0x00	0x00	0X00	0X00	0X0000	0x21	0X0000	0X00	0X0000	0X00	0X00	0X0000	0x0101	94	94 (0x00, 0x00, 0x0000, 0x0101, 94),
93	Set SP and CP at pinched Standby position, EndGoBranch target Make sure SPA and STM idle	0X0000	0X0000	0X0000	0X0000	0x00	0x00	0X00	0X00	0X0000	0x36	0X0000	0X00	0X0000	0X00	0X00	0X0000	0x0101	0x3045	0x00, 0x00, 0x0000, 0x0101, 0x3045),
94		0x0000	HS	0X0000	0X0000	0xFF	0x00	0X00	0X00	0X0000		0 0X001E	0x44	0X0000	0X00	0x00	0x8E0E	0X0000	0x8E0E	0X00, 0X00, 0X8E0E, 0X0000, 0X0000),
95	Branch to End of GO sequence	0X0000	0X0000	0X0000	0X0000	0X00	0X00	0X00	0X00	0X0000		0 0X001F	0X00	0X0000	0X00	0X00	0X0000	0X0101	99	99 (0X00, 0X00, 0X0000, 0X0101, 99),
96	Subr: Move Next	0X0000	0X0000	MN	0X0000	0X00	0X00	0x32	0X00	0X0000	0x36		0x44				0X001F			0x00, 0X00, 0X001F, 0X0000, 0X0000),

Fig. 8B

State Index	State Description	SPAcmd	FBAcmd	STMcmd	OBAcmd	SPAstat	FBAstat	STMstat	OBAstat	SMTest	ToSM	Tvalue	Tfunc	Sens	STst	SMsk	End	Bran	Dest	Translated Parameters
97	End Subr: Branch to WaitUntilSTMvalid(el)	0X0000	0X0000	0X0000	0X0000	0X00	0X00	0X00	0X00	0X0000		0 0X0000	0X00	0X0000	0X00	0X00	0X0000	0X0101	0X0101	40 0X00, 0X00, 0X0000, 0X0101, 40)
98	Couldn't GO; flash red button for 5 seconds	RE	RE	RE	0X0000	RE	RE	RE	0X00	0X0000		0 0x0181	0x02	0x6001	0x12	0x00	0X001F	0x0000	0x0000	0x00, 0x12, 0x00, 0X0000, 0x0000, 0X0000),
99	End of GO sequence			RE	0X0000			RE	0X00	0X0000	0x2F	0 0X0020	0x44	0X0000	0X00	0x00	0X8E0E	0X0000	0X0000	0x00, 0X00, 0X8E0E, 0X0000, 0X0000),
100	Begin of "Go" (Clear Racks): full stop BX	RE	RE	RE	0X0000	0XFF	0XFF	0X33	0X00	0X0000		0 0X0021	0x44	0X0000	0X00	0x00	0X001F	0X0000	0X0000	0x00, 0X00, 0X001F, 0X0000, 0X0000),
101	Send CR to STM (Home Pipetter)	PH		CR	0X0000	0X00	0X00	0XFF	0X00	0X0000		0 0X0022	0x44	0X0000	0X00	0x00	0X8A0A	0X0000	0X0000	0x00, 0X00, 0X8A0A, 0X0000, 0X0000),
102	Home STM Carriers			0x0000	0X0000	0XFF	0X00	0XFF	0X00	0X0000		0 0X0000	0X00	0X0000	0X00	0x00	0X001F	0X0000	0X0000	0x00, 0X00, 0X001F, 0X0000, 0X0000),
103	End of "Go" (Clear Racks)	RE		RE	0X0000	0XFF	0X00	0XFF	0X00	0X0000		0 0X0023	0x44	0X0000	0X00	0x00	0X8E0E	0X0000	0X0000	0x00, 0X00, 0X8E0E, 0X0000, 0X0000),
104	Begin of "RQ" (Run QC Control)																			
105	Retrieve tube number; branch to Wash ("WA") if 1 (0x01), term otherwise	0X0000	0X0000	0X0708	0X0000	0X00	0X00	0x01	0X00	0X0000		0 0X0024	0x44	0X0000	0X00	0x00	0X0101	0X0008	0x5741	0x00, 0X00, 0X0000, 0X0101, 0X0008, 0x5741),
106	Retrieve tube number; branch to Diluent ("DL") if 2 (0x02), term otherwise	TT	0X0000	0X0708	0X0000	0x11	0X00	0x02	0X00	0X0000		0 0X0025	0x44	0X0000	0X00	0x00	0X0101	0X0008	0x444C	0x00, 0X00, 0X0000, 0X0101, 0X0008, 0x444C),
107	Retrieve tube number; branch to Diluent ("DL") if 3 (0x03), term otherwise	0X0000	0X0000	0X0708	0X0000	0XFF	0X00	0x03	0X00	0X0000		0 0X0026	0x44	0X0000	0X00	0x00	0X0101	0X0008	0x444C	0x00, 0X00, 0X0000, 0X0101, 0X0008, 0x444C),
108	Retrieve tube number; branch to Autofocus ("17") if 5 (0x05), term otherwise	0X0000	0X0000	0X0708	0X0000	0X00	0X00	0x05	0X00	0X0000		0 0X0027	0x44	0X0000	0X00	0x00	0X0101	0X0008	0x3137	0x00, 0X00, 0X0000, 0X0101, 0X0008, 0x3137),
109	Retrieve tube number; branch to Diluent ("DL") if 10 (0x0A), term otherwise	SB	0X0000	0X0708	0X0000	0X00	0X00	0x0A	0X00	0X0000		0 0X0028	0x44	0X0000	0X00	0x00	0X0101	0X0008	0x444C	0x00, 0X00, 0X0000, 0X0101, 0X0008, 0x444C),
110	Retrieve tube id (bar code)	0X0000	0X0000	0X0707	0X0000	0x31	0X00	0X00	0X00	0X0000		0 0X0029	0x44	0X0000	0X00	0x00	0X0101	0X0000	0X0000	0x00, 0X00, 0X001F, 0X0000, 0X0000),
111	Get sample info from host	0X0000	0X0000	0X0000	0X0000	0XFF	0X00	0X00	0X00	0X3032	0X81	0 0X002A	0x44	0X0000	0X00	0x00	0X001F	0X0000	0X0000	0x00, 0X00, 0X001F, 0X0000, 0X0000),
112	Next control tube position	0X0000	0X0000	0X0000	0X0000	0X00	0X00	0X00	0X00	0X3030		0 0X0000	0X00	0X0000	0X00	0x00	0X0101	0X0020	146	0x00, 0X00, 0X0000, 0X0101, 0X0020, 146),
113	If SM replies "2", branch to "toe" (Clear Rack)	0X0000	0X0000	0X0000	0X0000	0X00	0X00	0X00	0X00	0X2D32		0 0X0000	0X00	0X0000	0X00	0x00	0X0020	0X0020	0x3045	0x00, 0X00, 0X0020, 0X0020, 0x3045),
114	To test tube	TT	0X0000	0X0000	0X0000	0x11	0X00	0X00	0X00	0X0000		0 0X0000	0X00	0X0000	0X00	0x00	0X001F	0X0000	0X0000	0x00, 0X00, 0X001F, 0X0000, 0X0000),
115	Wait for "image processing" idle	0X0000	0X0000	0X0000	0X0000	0XFF	0X00	0X00	0X00	0X3338	0x37	0 0X0000	0X00	0X0000	0X00	0x00	0X001F	0X0000	0X0000	0x00, 0X00, 0X001F, 0X0000, 0X0000),
116	Wait for "Image processing idle"	SB	0X0000	0X0000	0X0000	0x31	0X00	0X00	0X00	0X0000		0 0X0000	0X00	0X0000	0X00	0x00	0X001F	0X0000	0X0000	0x00, 0X00, 0X001F, 0X0000, 0X0000),
117	Start stream for background capture	0X0000	0X0000	0X0000	0X0000	0XFF	0X00	0X00	0X00	0X0000		0 0X0000	0X00	0X0000	0X00	0x00	0X001F	0X0000	0X0000	0x00, 0X00, 0X001F, 0X0000, 0X0000),
118	Wait for SB complete	0X0000	0X0000	0X0000	0X0000	0X00	0X00	0X00	0X00	0X0000		0 0X0069	0x42	0X0000	0X00	0x00	0X0101	0X0020	146	0x00, 0X00, 0X0101, 0X0020, 146),
119	Timer delay before capture																			
120	Capture background and wait for frame processing complete (future wait for frame capture complete) or short sample detector	0X0000	0X0000	0X0000	0X0000	0X00	0X00	0X00	0X00	0X3034	0X83	0 0X0000	0X00	0x0032	0X00	0x02	0x0001	0x0010	122	0x00, 0x02, 0x0001, 0x0010, 122),
121	Send "Short Sample" signal and wait for frame processing complete (future wait for frame capture complete). If exceeds 10 secs goto BX	0X0000	0X0000	0X0000	0X0000	0X00	0X00	0X00	0X00	0X3034	0x31	0 0X000A	0x43	0X0000	0X00	0x00	0X0010	0x0000	0x4258	0x00, 0x00, 0X0010, 0x0000, 0x4258),
122	Turn off EP pump on SPA	EB	0X0000	0X0000	0X0000	0x34	0X00	0X00	0X00	0X0000		0 0X0000	0X00	0X0000	0X00	0x00	0X8606	0X0000	0X0000	0x00, 0X00, 0X8606, 0X0000, 0X0000),
123	Wait for EB complete	EB	0X0000	0X0000	0X0000	0XFF	0X00	0X00	0X00	0X0000		0 0X0000	0X00	0X0000	0X00	0x00	0X001F	0X0000	0X0000	0x00, 0X00, 0X001F, 0X0000, 0X0000),
124	Move pipette down to aspirate position in test tube	TD	0X0000	0X0000	0X0000	0X13	0X00	0X00	0X00	0X0000		0 0X0000	0X00	0X0000	0X00	0x00	0X001F	0X0000	0X0000	0x00, 0X00, 0X001F, 0X0000, 0X0000),
125	Wait for TD complete and "image processing idle"	0X0000	RC	0X0000	0X0000	0XFF	0X00	0X00	0X00	0X3338	0x37	0 0X0000	0X00	0X0000	0X00	0x00	0X8212	0X0000	0X0000	0x00, 0X00, 0X8212, 0X0000, 0X0000),
126	Start aspiration for sample transfer	AS	0X0000	0X0000	0X0000	0x17	0X00	0X00	0X00	0X0000		0 0X0000	0X00	0X0000	0X00	0x00	0X001F	0X0000	0X0000	0x00, 0X00, 0X001F, 0X0000, 0X0000),
127	Wait for AS and RC complete	0X0000	0X0000	0X0000	0X0000	0XFF	0XFF	0X00	0X00	0X0000		0 0X0000	0X00	0X0000	0X00	0x00	0X8606	0X0000	0X0000	0x00, 0X00, 0X8606, 0X0000, 0X0000),
128	Timer delay before capture	0X0000	0X0000	0X0000	0X0000	0X00	0X00	0X00	0X00	0X0000		0 0X006B	0x42	0X0000	0X00	0x00	0X001F	0X0000	0X0000	0x00, 0X00, 0X001F, 0X0000, 0X0000),
129	Capture sample frames and wait for sample frame capture complete or short sample detector	0X0000	0X0000	0X0000	0X0000	0X00	0X00	0X00	0X00	0X3036	0X85	0 0X000C	0x00	0x0032	0X00	0x02	0x0001	0x0010	131	0x00, 0x02, 0x0001, 0x0010, 131),
130	Send "Short Sample" signal and wait for sample frame capture complete	0X0000	0X0000	0X0000	0X0000	0XFF	0X00	0X00	0X00	0X3036	0x31	0 0X000C	0x43	0X0000	0X00	0x00	0X0010	0x0000	0x4258	0x00, 0X00, 0X0010, 0x0000, 0x4258),
131	Turn off EP pump on SPA; SP pump on FBA	EB	EB	0X0000	0X0000	0x34	0X00	0X00	0X00	0X0000		0 0X0000	0X00	0X0000	0X00	0x00	0X8606	0X0000	0X0000	0x00, 0X00, 0X8606, 0X0000, 0X0000),
132	Wait for EB's complete (SFA and FBA)	TW	DB	0X0000	0X0000	0XFF	0X00	0X00	0X00	0X0000		0 0X0000	0X00	0X0000	0X00	0x00	0X001F	0X0000	0X0000	0x00, 0X00, 0X001F, 0X0000, 0X0000),
133	To Waste Well	TW	0X0000	0X0000	0X0000	0x15	0X00	0X00	0X00	0X0000		0 0X0000	0X00	0X0000	0X00	0x00	0X001F	0X0000	0X0000	0x00, 0X00, 0X001F, 0X0000, 0X0000),
134		0X0000	0X0000	0X0000	0X0000	0X00	0XFF	0X00	0X00	0X0000		0 0X0000	0X00	0X0000	0X00	0x00	0X001F	0X0000	0X0000	0x00, 0X00, 0X001F, 0X0000, 0X0000),
135	Move pipette down to aspirate position in test tube	TR	RP	0X0000	0X0000	0X25	0X00	0X00	0X00	0X0000	0X87	0 0X0000	0X00	0X0000	0X00	0x00	0X001F	0X0000	0X0000	0x00, 0X00, 0X001F, 0X0000, 0X0000),
136	Turn On Rinse Pump and Rinse Pipetter	0X0000	0X0000	0X0000	0X0000	0XFF	0X25	0X00	0X00	0X0000		0 0X0000	0X00	0X0000	0X00	0x00	0X001F	0X0000	0X0000	0x00, 0X00, 0X001F, 0X0000, 0X0000),
137		0X0000	0X0000	0X0000	0X0000	0XFF	0X00	0X00	0X00	0X0000		0 0X0000	0X00	0X0000	0X00	0x00	0X001F	0X0000	0X0000	0x00, 0X00, 0X001F, 0X0000, 0X0000),
138		0X0000	0X0000	0X0000	0X0000	0XFF	0XFF	0X00	0X00	0X0000		0 0X0000	0X00	0X0000	0X00	0x00	0X001F	0X0000	0X0000	0x00, 0X00, 0X001F, 0X0000, 0X0000),
139	Clear Pipetter/Home CP and SP	CP	HC	0X0000	0X0000	0X16	0X00	0X00	0X00	0X0000		0 0X0000	0X00	0X0000	0X00	0x00	0X001F	0X0000	0X0000	0x00, 0X00, 0X001F, 0X0000, 0X0000),
140		0X0000	0X0000	0X0000	0X0000	0XFF	0XFF	0X00	0X00	0X0000		0 0X0000	0X00	0X0000	0X00	0x00	0X001F	0X0000	0X0000	0x00, 0X00, 0X001F, 0X0000, 0X0000),
141		0X0000	0X0000	0X0000	0X0000	0X00	0X00	0X00	0X00	0X0000		0 0X0000	0X00	0X0000	0X00	0x00	0X001F	0X0000	0X0000	0x00, 0X00, 0X001F, 0X0000, 0X0000),
142	Send completion signal to host	0X0000	0X0000	0X0000	0X0000	0X00	0X00	0XFF	0X00	0X0000		0 0X0000	0X00	0X0000	0X00	0x00	0X0101	0X0000	0X0000	0x00, 0X00, 0X0101, 0X001F, 0X0000),
143	Wait for control result from host; branch to "toe" (Clear Rack) if failed (0)	0X0000	0X0000	0X0000	0X0000	0X00	0X00	0X00	0X00	0x3245		0 0X002C	0x44	0X0000	0X00	0x00	0x001F	0X0000	0X0000	0x00, 0X00, 0X001F, 0X0000, 0X0000),
144																				

Fig. 8C

State index 145–189 configuration table (rotated 90°). State descriptions from index 149 onward appear on a dark/redacted background and are largely illegible.

State Index	State Description	SPAcmd	FBAcmd	STMcmd	OBAcmd	SPAstat	FBAstat	STMstat	OBAstat	SMTest	ToSM	Tvalue	Trunc	Sens	STst	SMsk	End	Bran	Dest	Translated Parameters
145	(If SM replies '0' branch to '0d' (Clear Rack)	0X0000	0X0000	0X0000	0X0000	0X00	0X00	0X00	0X00	0x3030		0 0X002D	0X00	0X0000	0X00	0X00	0X0101	0X0020	0x3045	0X00, 0X00, 0X0101, 0X0020, 0x3045),
146	Move to Next control tube position	0X0000	0X0000	MN	0X0000	0X00	0X00	0X32	0X00	0X0000	0x36	0X002D	0x44	0X0000	0X00	0X00	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000),
147	Branch to '16f' (Go Resume)	0X0000	0X0000	0X0000	0X0000	0X00	0X00	0X00	0X00	0X0000		0X0000	0x44	0X0000	0X00	0X00	0X0000	0X0101	0x3138	0X00, 0X00, 0X0000, 0X0101, 0x3138),
148	End of RQ sequence	0X0000	0X0000	0X0000	0X0000	0X00	0X00	0X00	0X00	0X0000		0X0000	0X00	0X0000	0X00	0X00	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000),
149	*(redacted)*		RE	RE	0X0000	0XFF	0XFF	0XFF	0X00	0X0000		0 0X002E	0x44	0X0000	0X00	0X00	0X001F	0X0000	0X0000	0X00, 0X001F, 0X0000, 0X0000),
150	*(redacted)*		0X0000	0X0707	0X0000	0X00	0X00	0X00	0X00	0X0000		0 0X002F	0x44	0X0000	0X00	0X00	0X0101	0X0000	0X0000	0X00, 0X0101, 0X0000, 0X0000),
151	*(redacted)*		0X0000	0X0000	0X0000	0X00	0X00	0X00	0X00	0X3032	0x61	0X0030	0x44	0X0000	0X00	0X00	0X001F	0X0000	0X0000	0X00, 0X001F, 0X0000, 0X0000),
152	*(redacted)*			0X0000	0X0000	0X00	0X00	0X00	0X00	0X3030	0	0X0000	0X00	0X0000	0X00	0X00	0X0101	0X0020	326	0X00, 0X00, 0X0101, 0X0020, 326),
153	*(redacted)*			0X0000	0X0000	0X00	0X00	0X00	0X00	0x2D32	0	0X0000	0X00	0X0000	0X00	0X00	0X0101	0X0020	0x3045	0X00, 0X00, 0X0101, 0X0020, 0x3045),
154	*(redacted)*			0X0000	HW	0x31	0X00	0X00	0X00	0X0000	0	0x2000	0x04	0X0000	0X00	0X00	0x0040	0X0000	0X0000	0X00, 0X00, 0x0040, 0X0000, 0X0000),
155	*(redacted)*			0X0000	0x0000	0xFF	0X00	0X00	0X00	0X0000	0	0x2000	0x04	0X0000	0X00	0X00	0x0040	0X0000	0X0000	0X00, 0X00, 0x0040, 0X0000, 0X0000),
156	*(redacted)*			0X0000	MO	0x32	0X00	0X00	0X00	0X0000	0	0x2000	0x04	0X0000	0X00	0X00	0x0040	0X0000	0X0000	0X00, 0X00, 0x0040, 0X0000, 0X0000),
157	*(redacted)*			0X0000	0X0000	0xFF	0x00	0X00	0X00	0X0000	0	0x2000	0x04	0X0000	0X00	0X00	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000),
158	*(redacted)*			0X0000	0X0000	0x11	0x00	0X00	0X00	0X0000	0	0X0000	0X00	0X0000	0X00	0X00	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000),
159	*(redacted)*			0X0000	0X0000	0xFF	0x00	0X00	0X00	0X0000	0	0X0000	0X00	0X0000	0X00	0X00	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000),
160	*(redacted)*			0X0000	0X0000	0x00	0x00	0X00	0X00	0X0000	0	0X0081	0x42	0X0000	0X00	0X00	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000),
161	*(redacted)*			0X0000	0X0000	0X13	0x00	0X00	0X00	0X0000	0	0X0000	0X00	0X0000	0X00	0X00	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000),
162	*(redacted)*			0X0000	0X0000	0xFF	0x00	0X00	0X00	0X0000	0	0X0000	0X00	0X0000	0X00	0X00	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000),
163	*(redacted)*			0X0000	0X0000	0X00	0X00	0X00	0X00	0X0000	0x14	0x2000	0x04	0X0000	0X00	0X00	0x0101	0X0000	0X0000	0X00, 0X00, 0x0101, 0X0000, 0X0000),
164	*(redacted)*			0X0000	0X0000	0X00	0X00	0X00	0X00	0x3133	0	0x2000	0x04	0X0000	0X00	0X00	0X001F	0x0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000),
165	*(redacted)*			0X0000	0X0000	0X00	0X00	0X00	0X00	0x3030	0	0X0000	0X00	0X0000	0X00	0X00	0X0101	0x2020	313	0X00, 0X00, 0X0101, 0x2020, 313),
166	*(redacted)*			0X0000	0X0000	0X00	0X00	0X00	0X00	0x3031	0	0X0000	0X00	0X0000	0X00	0X00	0X0101	0x2020	187	0X00, 0X00, 0X0101, 0x2020, 187),
167	*(redacted)*			0X0000	0X0000	0X00	0X00	0X00	0X00	0x3032	0	0X0000	0X00	0X0000	0X00	0X00	0X0101	0x2020	197	0X00, 0X00, 0X0101, 0x2020, 197),
168	*(redacted)*			0X0000	0X0000	0X00	0X00	0X00	0X00	0x3033	0	0X0000	0X00	0X0000	0X00	0X00	0X0101	0x2020	224	0X00, 0X00, 0X0101, 0x2020, 224),
169	*(redacted)*			0X0000	0X0000	0X00	0X00	0X00	0X00	0x3034	0	0X0000	0X00	0X0000	0X00	0X00	0X0101	0x2020	252	0X00, 0X00, 0X0101, 0x2020, 252),
170	*(redacted)*			0X0000	0X0000	0X00	0X00	0X00	0X00	0x3035	0	0X0000	0X00	0X0000	0X00	0X00	0X0101	0x2020	326	0X00, 0X00, 0X0101, 0x2020, 326),
171	*(redacted)*			0X0000	0X0000	0X00	0X00	0X00	0X00	0x3130	0	0X0000	0X00	0X0000	0X00	0X00	0X0101	0x2020	283	0X00, 0X00, 0X0101, 0x2020, 283),
172	*(redacted)*			0X0000	0X0000	0X00	0X00	0X00	0X00	0x3131	0	0X0000	0X00	0X0000	0X00	0X00	0X0101	0x2020	285	0X00, 0X00, 0X0101, 0x2020, 285),
173	*(redacted)*			0X0000	0X0000	0X00	0X00	0X00	0X00	0x3132	0	0X0000	0X00	0X0000	0X00	0X00	0X0101	0x2020	287	0X00, 0X00, 0X0101, 0x2020, 287),
174	*(redacted)*			0X0000	0X0000	0X00	0X00	0X00	0X00	0x3230	0	0X0000	0X00	0X0000	0X00	0X00	0X0101	0x2020	289	0X00, 0X00, 0X0101, 0x2020, 289),
175	*(redacted)*			0X0000	0X0000	0X00	0X00	0X00	0X00	0x3231	0	0X0000	0X00	0X0000	0X00	0X00	0X0101	0x2020	291	0X00, 0X00, 0X0101, 0x2020, 291),
176	*(redacted)*			0X0000	0X0000	0X00	0X00	0X00	0X00	0x3232	0	0X0000	0X00	0X0000	0X00	0X00	0X0101	0x2020	293	0X00, 0X00, 0X0101, 0x2020, 293),
177	*(redacted)*			0X0000	0X0000	0X00	0X00	0X00	0X00	0x3233	0	0X0000	0X00	0X0000	0X00	0X00	0X0101	0x2020	295	0X00, 0X00, 0X0101, 0x2020, 295),
178	*(redacted)*			0X0000	0X0000	0X00	0X00	0X00	0X00	0x3234	0	0X0000	0X00	0X0000	0X00	0X00	0X0101	0x2020	297	0X00, 0X00, 0X0101, 0x2020, 297),
179	*(redacted)*			0X0000	0X0000	0X00	0X00	0X00	0X00	0x3235	0	0X0000	0X00	0X0000	0X00	0X00	0X0101	0x2020	299	0X00, 0X00, 0X0101, 0x2020, 299),
180	*(redacted)*			0X0000	0X0000	0X00	0X00	0X00	0X00	0x3236	0	0X0000	0X00	0X0000	0X00	0X00	0X0101	0x2020	301	0X00, 0X00, 0X0101, 0x2020, 301),
181	*(redacted)*			0X0000	0X0000	0X00	0X00	0X00	0X00	0x3237	0	0X0000	0X00	0X0000	0X00	0X00	0X0101	0x2020	303	0X00, 0X00, 0X0101, 0x2020, 303),
182	*(redacted)*			0X0000	0X0000	0X00	0X00	0X00	0X00	0x3238	0	0X0000	0X00	0X0000	0X00	0X00	0X0101	0x2020	305	0X00, 0X00, 0X0101, 0x2020, 305),
183	*(redacted)*			0X0000	0X0000	0X00	0X00	0X00	0X00	0x3239	0	0X0000	0X00	0X0000	0X00	0X00	0X0101	0x2020	307	0X00, 0X00, 0X0101, 0x2020, 307),
184	*(redacted)*			0X0000	0X0000	0X00	0X00	0X00	0X00	0x3241	0	0X0000	0X00	0X0000	0X00	0X00	0X0101	0x2020	309	0X00, 0X00, 0X0101, 0x2020, 309),
185	*(redacted)*			0X0000	0X0000	0X00	0X00	0X00	0X00	0x3242	0	0X0000	0X00	0X0000	0X00	0X00	0X0101	0x2020	311	0X00, 0X00, 0X0101, 0x2020, 311),
186	*(redacted)*			0X0000	0X0000	0X00	0X00	0X00	0X00	0X0000	0	0X0000	0X00	0X0000	0X00	0X00	0X0101	0X0101	163	0X00, 0X00, 0X0101, 0X0101, 163),
187	*(redacted)*		0X0000	0X0000	0X0000	0X00	0X00	0X00	0X00	0X0000	0x6B	0x2000	0x04	0X0000	0X00	0X00	0x0101	0X0101	0x0000	0X00, 0X00, 0x0101, 0X001F, 0X0000, 0X0000),
188	*(redacted)*		0X0000	0X0000	0X0000	0X00	0X00	0X00	0X00	0x3130	0	0x2000	0x04	0X0000	0X00	0X00	0X001F	0X001F	0x0000	0X00, 0X00, 0X001F, 0X001F, 0X0000, 0X0000),
189	*(redacted)*		0X0000	0X0000	0X0000	0X00	0X00	0X00	0X00	0X0000	0	0X0092	0x42	0X0000	0X00	0X00	0X0000	0X0000	0x0000	0X00, 0X00, 0X0000, 0X0000, 0X0000),

Fig. 8D

Fig. 8E

State Index	State Description	SPAcmd	FBAcmd	STMcmd	OBAcmd	SPAstat	FBAstat	STMstat	OBAstat	SMTest	ToSM	Tvalue	Tfunc	Sens	STst	SMsk	End	Bran	Dest	Translated Parameters
232			0X0000	0X0000	0x00	0x00	0x00	0x00	0X3034	0X83	0x0000	0x00	0x0032	0x00	0x02	0x0001	0x0010	234	234 0x00, 0x02, 0x0001, 0x0010, 234),
233			0X0000	0X0000	0x00	0x00	0x00	0x00	0X3034	0x31	0X0019	0x43	0x0000	0x00	0x00	0X0010	0x0000	0x4258	0x00, 0x00, 0X0010, 0x0000, 0x4258),
234			0X0000	0X0000	0x00	0x00	0x00	0x00	0X0000		0X0000	0X00	0X0000	0x00	0x00	0x001F	0x0000	0X0000	0X00, 0x001F, 0X0000, 0X0000),
235			0XFF	0XFF	0XFF	0x00	0x00	0x00	0X0000		0X0000	0X00	0X0000	0x00	0x00	0x001F	0x0000	0X0000	0X00, 0x00, 0X001F, 0X0000, 0X0000),
236			0X0000	0X0000	0x00	0x00	0x00	0x00	0x2D31		0X0000	0X00	0X0000	0x00	0x00	0X0101	0X0020	335	0X00, 0X00, 0X0101, 0x0020, 335),
237		IB	0X0000	0X0000	0x00	0x00	0x00	0x33	0X0000		0X003B	0x44	0X0000	0x00	0x00	0x0040	0X0000	0X0000	0X00, 0x00, 0x0040, 0X0000, 0X0000),
238			0X0000	0X0000	0x27	0x00	0x00	0xFF	0x3338		0X0000	0x00	0X0000	0x00	0x00	0x001F	0X0000	0X0000	0X00, 0x00, 0x001F, 0X0000, 0X0000),
239		RC	0X0000	0X0000	0x17	0x00	0x00	0x00	0X0000	0x37	0X0000	0x00	0X0000	0x00	0x00	0x001F	0X0000	0X0000	0X00, 0x00, 0x001F, 0X0000, 0X0000),
240			0X0000	0X0000	0xFF	0xFF	0x00	0x00	0X0000		0X0000	0x00	0X0000	0x00	0x00	0x8808	0X0000	0X0000	0X00, 0x00, 0x8808, 0X0000, 0X0000),
241			0X0000	0X0000	0x00	0x00	0x00	0x00	0X0000		0X0062	0x42	0X0000	0x00	0x00	0X0000	0X0000	0X0000	0X00, 0x00, 0X0000, 0X0000, 0X0000),
242		NB	0X0000	0X0000	0x00	0x28	0x00	0x33	0X0000		0X0041	0x44	0X0000	0x00	0x00	0x0040	0X0000	0X0000	0X00, 0x00, 0x0040, 0X0000, 0X0000),
243			0X0000	0X0000	0x00	0x00	0x00	0xFF	0X0000		0X003B	0x44	0X0000	0x00	0x00	0x0040	0X0000	0X0000	0X00, 0x00, 0x0040, 0X0000, 0X0000),
244			0X0000	0X0000					0X3036	0X8D	0x0000	0x00	0x0032	0x00	0x02	0x0001	0x0010	247	247 0X00, 0x02, 0x0001, 0x0010, 247),
245			0X0000	0X0000	0x00	0x00	0x00	0x00	0X3035	0x31	0X0083	0x43	0X0000	0x00	0x00	0X0010	0X0000	0x4258	0X00, 0X00, 0X0010, 0X0000, 0X4258),
246			0X0000	0X0000	0x00	0x00	0x00	0x00	0X3030		0X0000	0X00	0X0000	0x00	0x00	0X0101	0X0020	243	0X00, 0X00, 0X0101, 0x0020, 243),
247		HC	0X0000	0X0000	0x00	0x00	0x00	0x00	0x0000	0x87	0X0000	0x00	0X0101	0x00	0x00	0X0101	0X0000	0X0000	0X00, 0X00, 0X0101, 0X0000, 0X0000),
248			0X0000	0X0000	0xFF	0xFF	0x00	0x00	0X0000		0X003B	0x44	0X0000	0x00	0x00	0x001F	0X0000	0X0000	0X00, 0x00, 0x001F, 0X0000, 0X0000),
249			0X0000	0X0000	0x00	0x00	0x00	0x00	0X0000		0X0000	0x00	0X0000	0x00	0x00	0x8808	0X0000	0X0000	0X00, 0x00, 0x8808, 0X0000, 0X0000),
250			0X0000	0X0000	0x00	0x00	0x00	0x00	0X0000		0X0000	0x42	0X0000	0x00	0x00	0X0000	0X0000	0X0000	0X00, 0x00, 0X0000, 0X0000, 0X0000),
251			0X0000	0X0000	0x00	0x00	0x00	0x00	0X0000		0X002F	0x44	0X0000	0x00	0x00	0X0000	0X0101	163	163 0X00, 0X00, 0X0000, 0X0101, 163),
252			0X0707	0X0000	0x00	0x00	0x00	0x00	0X0000	0x81	0X0030	0x44	0X0000	0x00	0x00	0X0101	0X0000	0X0000	0X00, 0X00, 0X0101, 0X0000, 0X0000),
253			0X0000	0X0000	0x00	0x00	0x00	0x00	0X3032		0X0000	0x00	0X0000	0x00	0x00	0x001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000),
254			0X0000	0X0000	0x00	0x00	0x00	0x00	0X3030		0X0000	0X00	0X0000	0x00	0x00	0X0101	0X0020	328	328 0X00, 0X00, 0X0101, 0x0020, 328),
255			0X0000	0X0000	0x00	0x00	0x00	0x00	0x2D32	0x37	0X0000	0x43	0X0000	0x00	0x00	0X0101	0X0020	0x3045	0X00, 0X00, 0X0101, 0x0020, 0x3045),
256			0X0000	0X0000	0x31	0x00	0x00	0x00	0x3338		0X0000	0x00	0X0000	0x00	0x00	0X0101	0X0000	0X0000	0X00, 0x00, 0X0101, 0X0000, 0X0000),
257			0X0000	0X0000	0xFF	0x00	0x00	0x00	0X0000		0X0000	0x00	0X0000	0x00	0x00	0x001F	0X0000	0X0000	0X00, 0x00, 0x001F, 0X0000, 0X0000),
258			0X0000	0X0000	0x00	0x00	0x00	0x00	0X0000		0X0018	0x42	0X0000	0x00	0x00	0x001F	0X0000	0X0000	0X00, 0x00, 0x001F, 0X0000, 0X0000),
259			0X0000	0X0000	0x00	0x00	0x00	0x00	0X0000		0X0000	0x00	0X0000	0x00	0x00	0X0000	0X0000	0X0000	0X00, 0x00, 0X0000, 0X0000, 0X0000),
260			0X0000	0X0000					0X3034	0X83	0x0000	0x00	0x0032	0x00	0x02	0x0001	0x0010	262	262 0x00, 0x02, 0x0001, 0x0010, 262),
261			0X0000	0X0000	0x00	0x00	0x00	0x00	0X3034	0x31	0X0018	0x43	0x0000	0x00	0x00	0X0010	0X0000	0x4258	0x00, 0x00, 0X0010, 0x0000, 0x4258),
262			0X0000	0X0000	0x00	0x00	0x00	0x00	0X0000		0X0000	0x00	0X0000	0x00	0x00	0x001F	0X0000	0X0000	0X00, 0x00, 0x001F, 0X0000, 0X0000),
263			0X0000	0X0000	0xFF	0x00	0x00	0x00	0X0000		0X0000	0x00	0X0000	0x00	0x00	0x001F	0X0000	0X0000	0X00, 0x00, 0x001F, 0X0000, 0X0000),
264			0X0000	0X0000	0x00	0x00	0x00	0x00	0x2D31		0X0000	0x00	0X0000	0x00	0x00	0X0101	0X0020	335	0X00, 0X00, 0X0101, 0x0020, 335),
265		IC	0X0000	0X0000	0x00	0x00	0x00	0x33	0X0000		0X003B	0x44	0X0000	0x00	0x00	0x0040	0X0000	0X0000	0X00, 0x00, 0x0040, 0X0000, 0X0000),
266			0X0000	0X0000	0x17	0x00	0x00	0xFF	0X003B		0X003B	0x44	0X0000	0x00	0x00	0x001F	0X0000	0X0000	0X00, 0x00, 0x001F, 0X0000, 0X0000),
267		RC	0X0000	0X0000	0xFF	0x00	0x00	0x00	0X0000		0X0000	0x00	0X0000	0x00	0x00	0x001F	0X0000	0X0000	0X00, 0x00, 0x001F, 0X0000, 0X0000),
268			0X0000	0X0000	0x00	0x00	0x00	0x00	0X0000		0X0000	0x00	0X0000	0x00	0x00	0x8808	0X0000	0X0000	0X00, 0x00, 0x8808, 0X0000, 0X0000),
269		NC	0X0000	0X0000	0x00	0x00	0x00	0x33	0X0062		0X0062	0x42	0X0000	0x00	0x00	0x0040	0X0000	0X0000	0X00, 0x00, 0x0040, 0X0000, 0X0000),
270			0X0000	0X0000	0x00	0x28	0x00	0x33	0X0041		0X0041	0x44	0X0000	0x00	0x00	0x0040	0X0000	0X0000	0X00, 0x00, 0x0040, 0X0000, 0X0000),
271			0X0000	0X0000	0xFF	0x00	0x00	0xFF	0X003B		0X003B	0x44	0X0000	0x00	0x00				

Fig. 8H — State table (rotated). Due to the orientation and degraded scan quality, much of the "State Description" column and several cells are illegible.

State Index	State Description	SPAcmd	FBAcmd	STMcmd	OBAcmd	SPAstat	FBAstat	STMstat	OBAstat	SMTest	ToSM	Tvalue	Tfunc	Sens	STst	SMsk	End	Bran	Dest	Translated Parameters
318	*(illegible)*		RP	0X0000	0X0000	0X00	0x25	0X00	0X00	0X0000		0 0X0000	0X00	0X0000	0X00	0X00	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000),
319	*(illegible)*		0X0000	0X0000	0X0000	0XFF	0xFF	0X00	0X00	0X0000		0 0X0000	0X00	0X0000	0X00	0X00	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000),
320	*(illegible)*		0X0000	0X0000	0X0000	0X00	0xFF	0X00	0X00	0X0000		0 0X0000	0X00	0X0000	0X00	0X00	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000),
321	*(illegible)*		HC	MN	0X0000	0X16	0X00	0X00	0X00	0X0000	0x36	0 0X0000	0X00	0X0000	0X00	0X00	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000),
322	*(illegible)*		0X0000	0X0000	0X0000	0XFF	0XFF	0X00	0X00	0X0000		0 0X0000	0X00	0X0000	0X00	0X00	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000),
323	*(illegible)*		0X0000	0X0000	0X0000	0X00	0XFF	0X00	0X00	0X0000		0 0X0000	0X00	0X0000	0X00	0X00	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000),
324	*(illegible)*		0X0000	0X0000	0X0000	0X00	0X00	0XFF	0X00	0X0000		0 0X0000	0X00	0X0000	0X00	0X00	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000),
325	Branch 0 167(GB Redun)		0X0000	0X0000	0X0000	0X00	0X00	0X00	0X00	0X0000		0 0X0000	0X00	0X0000	0X00	0X00	0X0000	0X0101	0x3138	0X00, 0X00, 0X0000, 0X0101, 0x3138),
326	*(illegible)*		0X0000	MN	0X0000	0X00	0X00	0x32	0X00	0X0000	0x36	0 0x0049	0X00	0X0000	0X00	0X00	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000),
327	Branch 0 3138 (GB Redun) OBA		0X0000	0X0000	0X0000	0X00	0X00	0X00	0X00	0X0000		0 0X0000	0X00	0X0000	0X00	0X00	0X0000	0X0101	0x3138	0X00, 0X00, 0X0000, 0X0101, 0x3138),
328	*(illegible)*		0X0000	0X0000	0x0000	0X00	0X00	0X00	0XFF	0X0000		0 0x2000	0x04	0X0000	0X00	0X00	0x0040	0x0040	0X0000	0X00, 0X00, 0x0040, 0x0040, 0X0000),
329	*(illegible)*		0X0000	0X0000	VP	0X00	0X00	0X00	0x00	0X0000	0x00	0 0x2000	0x04	0X0000	0X00	0X00	0x0101	0x0000	0X0000	0X00, 0X00, 0x0101, 0X0000, 339),
330	*(illegible)*			0X0000	0X0000	0X00	0X00	0x00	0x31	0X0000		0 0X0000	0x04	0X0000	0X00	0X00	0x4040	0x0040	333	0X00, 0x0040, 0x4040, 0x0040, 334),
331	*(illegible)*			0X0000	0X0000	0X00	0X00	0x00	0x30	0X0000	0x00	0 0X0000	0X00	0X0000	0X00	0X00	0x4040	0x0040	334	0X00, 0x0040, 0x4040, 0X0101, 330),
332	*(illegible)*			0X0000	0X0000	0X00	0X00	0X00	0X00	0X0000	0	0 0X0000	0X00	0X0000	0X00	0X00	0X001F	0X0101	330	0X00, 0X00, 0X001F, 0X0101, 330),
333	*(illegible)*		0X0000	0X0000	0X0000	0X00	0X00	0X00	0X00	0X0000	0x29	0x0020	0x03	0X0000	0X00	0X00	0X0000	0x0000	163	163 0X00, 0X00, 0X0000, 0X0000, 183),
334	*(illegible)*		0X0000	0X0000	0X0000	0X00	0X00	0X00	0X00	0X0000	0x28	0x0020	0x03	0X0000	0X00	0X00	0X0000	0x0000	163	0X00, 0X00, 0X0000, 0X0000, 183),
335	End (Wait / Add Pause command		0X0000	0X0000	0X0000	0X00	0X00	0X00	0X00	0X0000		0 0x00A0	0x04	0X0000	0X00	0X00	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000),
336	*(illegible)*		0X0000	0X0000	0X0000	0X00	0XFF	0X00	0X00	0X0000		0 0X0000	0X00	0X0000	0X00	0X00	0X0101	0X0101	0X0000	0X00, 0X00, 0X0101, 0X0101, 0X0000),
337	*(illegible)*		0X0000	0X0000	0X0000	0X00	0x00	0X00	0X00	0X0000	0x2c	0 0X0000	0X00	0X0000	0X00	0X00	0X0101	0x0080	0X0000	0X00, 0x00, 0x0080, 0X0101, 0X0000),
338	*(illegible)*		0X0000	0X0000	0X0000	0X00	0x00	0X00	0X00	0X0000		0 0X004A	0x42	0X0000	0X00	0X00	0X0101	0X0000	0X0000	0X00, 0x00, 0X0080, 0X0000, 0X0000),
339	*(illegible)*		0X0000	W/R	0X0000	0X00	0X00	0X00	0X00	0X0000		0 0X004B	0x44	0X0000	0X00	0X00	0X0101	0X0000	0X0000	0X00, 0X0101, 0X0000, 0X0000),
340	*(illegible)*		0X0000	0X0000	0X0000	0XFF	0X00	0X52	0X00	0X0000	0	0 0X004C	0x42	0X0032	0X00	0x01	0X0101	0x0009	345	0X00, 0x01, 0X0009, 345),
341	*(illegible)*		0X0000	0X0000	0X0000	0x31	0X00	0x00	0X00	0X0000	0x2c	0 0X004D	0x42	0X0000	0X00	0x01	0X0101	0x0009	345	0x00, 0x01, 0X0009, 345),
342	*(illegible)*		0X0000	0X0000	0X0000	0X00	0X00	0x00	0X00	0X0000		0 0X004D	0x42	0x0000	0x05	0x40	0X0101	0x0080	0X0000	0x05, 0x40, 0X0080, 0X0000, 0X0000),
343	*(illegible)*		0X0000	0X0000	0X0000	0X00	0X00	0X00	0X00	0X0000		0 0X0000	0X00	0x0000	0x05	0x40	0x0101	0x0101	0X5344	0x05, 0x40, 0x0101, 0X0101, 0X5344),
344	*(illegible)*		0X0000	0X0000	0X0000	0X00	0X00	0X00	0X00	0X0000		0 0X0000	0X00	0x0000	0x05	0X00	0X0101	0X0101	349	0x05, 0x40, 0x0101, 0X0000, 349),
345	*(illegible)*		0X0000	0X0000	0X0000	0X00	0X00	0X00	0X00	0X0000		0 0X0000	0X00	0x9000	0x05	0x41	0x0001	0x0001	0X574C	0x05, 0x41, 0X0001, 0x0001, 0X574C),
346	*(illegible)*		0X0000	0X0000	0X0000	0X00	0X00	0X00	0X00	0X0000		0 0X0000	0X00	0x9000	0x05	0x42	0x0101	0x0001	0X574D	0x05, 0x42, 0x0101, 0x0001, 0X574D),
347	*(illegible)*		0X0000	0X0000	0X0000	0X00	0X00	0X00	0X00	0X0000		0 0X0000	0X00	0X0000	0X00	0X00	0x0101	0x0101	0X5753	0x00, 0x00, 0x0101, 0x0101, 0X5753),
348	*(illegible)*		0X0000	0X0000	0X0000	0X00	0X00	0X00	0X00	0X0000		0 0X0000	0X00	0X0000	0X00	0X00	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000),
349	*(illegible)*		0X0000	0X0000	0X0000	0X11	0x00	0X00	0X00	0X0000	0x33	0 0X0000	0X00	0X0000	0X00	0X00	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000),
350	Send FI to test supply line assert(Wash)	T	0X0000	0X0000	0X0000	0XFF	0x00	0X00	0X00	0X0000	0x32	0 0X0000	0X00	0X0000	0X00	0X00	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000),
351	*(illegible)*		0X0000	0X0000	0X0000	0x31	0X00	0X00	0X00	0X0000	0x32	0 0X0000	0X00	0X0000	0X00	0X00	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000),
352	*(illegible)*	SB	0X0000	0X0000	0X0000	0XFF	0X00	0X00	0X00	0X0000	0x32	0 0X0000	0X00	0X0000	0X00	0X00	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000),
353	*(illegible)*		0X0000	0X0000	0X0000	0x34	0X00	0X00	0X00	0X0000	0x32	0 0X0000	0X00	0X0000	0X00	0X00	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000),
354	Time Delay		0X0000	0X0000	0X0000	0X00	0X00	0X00	0X00	0X0000	0x32	0 0X004E	0x42	0X0000	0X00	0X00	0x0010	0x0010	0x4258	0x00, 0x00, 0x0010, 0x0010, 0x4258),
355	Turn off FI point Port SPA	EB	0X0000	0X0000	0X0000	0x34	0X00	0X00	0X00	0X0000	0x32	0 0X0000	0X00	0X0000	0X00	0X00	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000),
356	*(illegible)*		0X0000	0X0000	0X0000	0X00	0X00	0X00	0X00	0X0000		0 0X0000	0X00	0X0000	0X00	0X00	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000),
357	*(illegible)*	TD	0X0000	0X0000	0X0000	0X13	0x00	0X00	0X00	0X0000	0x32	0 0X0000	0X00	0X0000	0X00	0X00	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000),
358	*(illegible)*		0X0000	0X0000	0X0000	0XFF	0x00	0X00	0X00	0X0000	0x32	0 0X0000	0X00	0X0000	0X00	0X00	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000),
359	*(illegible)*	AS	RC	0X0000	0X0000	0x17	0x00	0X00	0X00	0X0000	0x32	0 0X0000	0X00	0X0000	0X00	0X00	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000),
360	*(illegible)*		0X0000	0X0000	0X0000	0XFF	0x00	0X00	0X00	0X0000	0x32	0 0X0000	0X00	0X0000	0X00	0X00	0x8606	0x8606	0X0000	0X00, 0X00, 0x8606, 0X0000, 0X0000),
361	*(illegible)*		0X0000	0X0000	0X0000	0X00	0x00	0X00	0X00	0X0000	0x32	0 0x0065	0x42	0X0000	0X00	0X00	0x0010	0x0010	0X0000	0x00, 0x00, 0x0010, 0X0000, 0X0000),
362	FI, BA (Wait FI Complete) SPA/STM Complete	EB	EB	0X0000	0X0000	0x34	0x00	0X00	0X00	0X0000	0x32	0 0X0000	0X00	0X0000	0X00	0X00	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000),
363	*(illegible)*		0X0000	DB	0X0000	0XFF	0XFF	0X00	0X00	0X0000	0x32	0 0X0000	0X00	0X0000	0X00	0X00	0x8606	0x8606	0X0000	0X00, 0X00, 0x8606, 0X0000, 0X0000),
364	*(illegible)*	TW	0X0000	0X0000	0x15	0x00	0X00	0X00	0X00	0X0000	0x32	0 0X0000	0X00	0X0000	0X00	0X00	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000),
365	*(illegible)*		0X0000	0X0000	0X0000	0XFF	0XFF	0X00	0X00	0X0000	0x32	0 0X0000	0X00	0X0000	0X00	0X00	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000),
366	*(illegible)*		0X0000	0X0000	0X0000	0x26	0x00	0X00	0X00	0X0000	0x32	0 0X0000	0X00	0X0000	0X00	0X00	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000),
367	Drain Flowcell	DF	0x0000	0X0000	0X0000	0XFF	0x00	0X00	0X00	0X0000	0x32	0 0X0000	0X00	0X0000	0X00	0X00	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000),
368	*(illegible)*		0X0000	0X0000	0X0000	0x20	0x00	0X00	0X00	0X0000	0x32	0 0X0000	0X00	0X0000	0X00	0X00	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000),
369	Prime Sheath Supply Line	PS	0X0000	0X0000	0X0000	0XFF	0x00	0X00	0X00	0X0000	0x32	0 0X0000	0X00	0X0000	0X00	0X00	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000),
370	Prime All Pumps	PP	0X0000	0X0000	0X0000	0x21	0x00	0X00	0X00	0X0000	0x32	0 0X0000	0X00	0X0000	0X00	0X00	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000),
371	*(illegible)*	PC	0X0000	0X0000	0XFF	0x00	0X00	0X00	0X00	0X0000	0x32	0 0X0000	0X00	0X0000	0X00	0X00	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000),
372	*(illegible)*		0X0000	0X0000	0X0000	0X00	0x00	0X00	0X00	0X0000	0x32	0 0X0000	0X00	0X0000	0X00	0X00	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000),
373	*(illegible)*		PL	0X0000	0X0000	0XFF	0x00	0X00	0X00	0X0000	0x32	0 0X0000	0X00	0X0000	0X00	0X00	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000),
374	Prime Inner Lines #1		0x0000	0X0000	0X0000	0x24	0x00	0X00	0X00	0X0000	0x32	0 0X0000	0X00	0X0000	0X00	0X00	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000),
375	*(illegible)*		0X0000	0X0000	0X0000	0XFF	0x00	0X00	0X00	0X0000	0x32	0 0X0000	0X00	0X0000	0X00	0X00	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000),

Fig. 8H

Fig. 8G

State Index	State Description	SPAcmd	FBAcmd	STMcmd	OBAcmd	SPAstat	FBAstat	STMstat	OBAstat	SMTest	ToSM	Tvalue	Tfunc	Sens	STst	SMsk	End	Bran	Dest	Translated Parameters
272	Capture sample frames (FSA>23) send AutoFocus sequence and wait for sample frame capture complete or short sample detect	0X00	0X0000	0X0000	0X0000	0x00	0X00	0X00	0X00	0X3036	0X8D	0x0000	0x00	0x0032	0X00	0x02	0x0001	0x0010	274	0X00, 0x02, 0x0001, 0x0010, 274),
273	Send "short Sample" message and wait for sample frames capture complete	0X00	0X0000			0x00	0X00			0X3036	0x31	0X0063	0x43			0X00	0X0010	0X0000	0X4258		0X00, 0X00, 0X0010, 0X0000, 0X4258),
274	FSA argument to DriveGather images — DO branch to Forward1C for sequential else fall through	0X00	0X0000	0X0000	0X0000	0X00	0X00	0X00	0X00	0X3030		0X0000	0X00	0X0000	0X00	0X00	0X0101	0X0020	270	0X00, 0X00, 0X0101, 0X0020, 270),
275	Send completion signal to host	0X00	0X0000	0X0000	0X0000	0x27	0X00	0X00	0X00	0x0000	0x87	0X0044	0x44	0X0000	0X00	0X00	0X0101	0X0101	0X0000	0X00, 0X00, 0X0101, 0X0101, 0X0000),
276	Home Pump	HC	HC	0X0000	0X0000	0XFF	0x00	0X00	0X00	0X0000		0X0000	0x42	0X0000	0X00	0X00	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000),
277	Wait for AS and RC complete	0X00	0X0000	0X0000	0X0000	0XFF	0XFF	0X00	0X00	0X0000		0X0000	0X00	0X0000	0X00	0X00	0X8608	0X8608	0X0000	0X00, 0X00, 0X8608, 0X8608, 0X0000),
278	Branch to AutoFocusReadyForCommand	0X00	0X0000	0X0000	0X0000	0X00	0X00	0X00	0X00	0x3130		0X0044	0X00	0X0000	0X00	0X00	0X001F	0X0101	183	0X00, 0X00, 0X0000, 0X0101, 183),
279	Handle Strobe-wait for strobe setting	0X00	0X0000	0X0000	0X0000	0X00	0X00	0X00	0X00	0x3130		0X0044	0x44	0X0000	0X00	0X00	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000),
280	Pulse first to take effect	0X00	0X0000	0X0000	0X0000	0X00	0X00	0X00	0X00	0x0000	0x6B	0X0045	0x42	0X0000	0X00	0X00	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000),
281	Send strobe setting to SM	0X00	0X0000	0X0000	0X0000	0X00	0X00	0X00	0X00	0X0000	0x6B	0X0000	0X00	0X0000	0X00	0X00	0X0101	0X0101	0X0000	0X00, 0X00, 0X0101, 0X0101, 0X0000),
282	Branch back	0X00	0X0000	0X0000	0X0000	0X00	0X00	0X00	0X00	0x0000		0X0000	0X00	0X0000	0X00	0X00	0X0000	0X0101	193	0X00, 0X00, 0X0000, 0X0101, 193),
283	Wait for SM Is Done with Beamform	0X00	0X0000	0X0000	BA	0X00	0X00	0X00	0x33	0X0000		0x2000	0x04	0X0000	0X00	0X00	0X0040	0X0040	0X0000	0X00, 0X00, 0X0040, 0X0040, 0X0000),
284	Wait for OBA and Branch to AutoFocusReadyForCommand	0X00	0X0000	0X0000	0X0000	0X00	0X00	0X00	0XFF	0X0000		0X0000	0X00	0X0000	0X00	0X00	0X0040	0X0040	163	0X00, 0X00, 0X0040, 0X0040, 163),
285	AutoFocus Final Offset	0X00	0X0000	0X0000	BB	0X00	0X00	0X00	0x33	0X0000		0x2000	0x04	0X0000	0X00	0X00	0X0040	0X0040	0X0000	0X00, 0X00, 0X0040, 0X0040, 0X0000),
286	Wait for OBA and Branch to AutoFocusReadyForCommand	0X00	0X0000	0X0000	0X0000	0X00	0X00	0X00	0XFF	0X0000		0X0000	0X00	0X0000	0X00	0X00	0X0040	0X0040	163	0X00, 0X00, 0X0040, 0X0040, 163),
287	AutoFocus Final Offset	0X00	0X0000	0X0000	BC	0X00	0X00	0X00	0x33	0X0000		0x2000	0x04	0X0000	0X00	0X00	0X0040	0X0040	0X0000	0X00, 0X00, 0X0040, 0X0040, 0X0000),
288	Wait for OBA and Branch to AutoFocusReadyForCommand	0X00	0X0000	0X0000	0X0000	0X00	0X00	0X00	0XFF	0X0000		0X0000	0X00	0X0000	0X00	0X00	0X0040	0X0040	163	0X00, 0X00, 0X0040, 0X0040, 163),
289	AutoFocus Forward	0X00	0X0000	0X0000	F0	0X00	0X00	0X00	0x33	0X0000		0x2000	0x04	0X0000	0X00	0X00	0X0040	0X0040	0X0000	0X00, 0X00, 0X0040, 0X0040, 0X0000),
290	Wait for OBA and Branch to AutoFocusReadyForCommand	0X00	0X0000	0X0000	0X0000	0X00	0X00	0X00	0XFF	0X0000		0X0000	0X00	0X0000	0X00	0X00	0X0040	0X0040	163	0X00, 0X00, 0X0040, 0X0040, 163),
291	AutoFocus Forward16	0X00	0X0000	0X0000	F1	0X00	0X00	0X00	0x33	0X0000		0x2000	0x04	0X0000	0X00	0X00	0X0040	0X0040	0X0000	0X00, 0X00, 0X0040, 0X0040, 0X0000),
292	Wait for OBA and Branch to AutoFocusReadyForCommand	0X00	0X0000	0X0000	0X0000	0X00	0X00	0X00	0XFF	0X0000		0X0000	0X00	0X0000	0X00	0X00	0X0040	0X0040	163	0X00, 0X00, 0X0040, 0X0040, 163),
293	AutoFocus Forward32	0X00	0X0000	0X0000	F2	0X00	0X00	0X00	0x33	0X0000		0x2000	0x04	0X0000	0X00	0X00	0X0040	0X0040	0X0000	0X00, 0X00, 0X0040, 0X0040, 0X0000),
294	Wait for OBA and Branch to AutoFocusReadyForCommand	0X00	0X0000	0X0000	0X0000	0X00	0X00	0X00	0XFF	0X0000		0X0000	0X00	0X0000	0X00	0X00	0X0040	0X0040	163	0X00, 0X00, 0X0040, 0X0040, 163),
295	AutoFocus Forward64	0X00	0X0000	0X0000	F3	0X00	0X00	0X00	0x33	0X0000		0x2000	0x04	0X0000	0X00	0X00	0X0040	0X0040	0X0000	0X00, 0X00, 0X0040, 0X0040, 0X0000),
296	Wait for OBA and Branch to AutoFocusReadyForCommand	0X00	0X0000	0X0000	0X0000	0X00	0X00	0X00	0XFF	0X0000		0X0000	0X00	0X0000	0X00	0X00	0X0040	0X0040	163	0X00, 0X00, 0X0040, 0X0040, 163),
297	AutoFocus Forward128	0X00	0X0000	0X0000	F4	0X00	0X00	0X00	0x33	0X0000		0x2000	0x04	0X0000	0X00	0X00	0X0040	0X0040	0X0000	0X00, 0X00, 0X0040, 0X0040, 0X0000),
298	Wait for OBA and Branch to AutoFocusReadyForCommand	0X00	0X0000	0X0000	0X0000	0X00	0X00	0X00	0XFF	0X0000		0X0000	0X00	0X0000	0X00	0X00	0X0040	0X0040	163	0X00, 0X00, 0X0040, 0X0040, 163),
299	AutoFocus Forward256	0X00	0X0000	0X0000	F5	0X00	0X00	0X00	0x33	0X0000		0x2000	0x04	0X0000	0X00	0X00	0X0040	0X0040	0X0000	0X00, 0X00, 0X0040, 0X0040, 0X0000),
300	Wait for OBA and Branch to AutoFocusReadyForCommand	0X00	0X0000	0X0000	0X0000	0X00	0X00	0X00	0XFF	0X0000		0X0000	0X00	0X0000	0X00	0X00	0X0040	0X0040	163	0X00, 0X00, 0X0040, 0X0040, 163),
301	AutoFocus Forward512	0X00	0X0000	0X0000	F6	0X00	0X00	0X00	0x33	0X0000		0x2000	0x04	0X0000	0X00	0X00	0X0040	0X0040	0X0000	0X00, 0X00, 0X0040, 0X0040, 0X0000),
302	Wait for OBA and Branch to AutoFocusReadyForCommand	0X00	0X0000	0X0000	0X0000	0X00	0X00	0X00	0XFF	0X0000		0X0000	0X00	0X0000	0X00	0X00	0X0040	0X0040	163	0X00, 0X00, 0X0040, 0X0040, 163),
303	AutoFocus Forward1024	0X00	0X0000	0X0000	F7	0X00	0X00	0X00	0x33	0X0000		0x2000	0x04	0X0000	0X00	0X00	0X0040	0X0040	0X0000	0X00, 0X00, 0X0040, 0X0040, 0X0000),
304	Wait for OBA and Branch to AutoFocusReadyForCommand	0X00	0X0000	0X0000	0X0000	0X00	0X00	0X00	0XFF	0X0000		0X0000	0X00	0X0000	0X00	0X00	0X0040	0X0040	163	0X00, 0X00, 0X0040, 0X0040, 163),
305	AutoFocus Forward2048	0X00	0X0000	0X0000	F8	0X00	0X00	0X00	0x33	0X0000		0x2000	0x04	0X0000	0X00	0X00	0X0040	0X0040	0X0000	0X00, 0X00, 0X0040, 0X0040, 0X0000),
306	Wait for OBA and Branch to AutoFocusReadyForCommand	0X00	0X0000	0X0000	0X0000	0X00	0X00	0X00	0XFF	0X0000		0X0000	0X00	0X0000	0X00	0X00	0X0040	0X0040	163	0X00, 0X00, 0X0040, 0X0040, 163),
307	AutoFocus Forward4096	0X00	0X0000	0X0000	F9	0X00	0X00	0X00	0x33	0X0000		0x2000	0x04	0X0000	0X00	0X00	0X0040	0X0040	0X0000	0X00, 0X00, 0X0040, 0X0040, 0X0000),
308	Wait for OBA and Branch to AutoFocusReadyForCommand	0X00	0X0000	0X0000	0X0000	0X00	0X00	0X00	0XFF	0X0000		0X0000	0X00	0X0000	0X00	0X00	0X0040	0X0040	163	0X00, 0X00, 0X0040, 0X0040, 163),
309	AutoFocus Forward8192	0X00	0X0000	0X0000	FA	0X00	0X00	0X00	0x33	0X0000		0x2000	0x04	0X0000	0X00	0X00	0X0040	0X0040	0X0000	0X00, 0X00, 0X0040, 0X0040, 0X0000),
310	Wait for OBA and Branch to AutoFocusReadyForCommand	0X00	0X0000	0X0000	0X0000	0X00	0X00	0X00	0XFF	0X0000		0X0000	0X00	0X0000	0X00	0X00	0X0040	0X0040	163	0X00, 0X00, 0X0040, 0X0040, 163),
311	AutoFocus Forward16384	0X00	0X0000	0X0000	FB	0X00	0X00	0X00	0x33	0X0000		0x2000	0x04	0X0000	0X00	0X00	0X0040	0X0040	0X0000	0X00, 0X00, 0X0040, 0X0040, 0X0000),
312	Wait for AutoFocusReadyForCommand	0X00	0X0000	0X0000	0X0000	0x15	0X00	0X00	0XFF	0X0000		0X0000	0X00	0X0000	0X00	0X00	0X0040	0X0040	163	0X00, 0X00, 0X0040, 0X0040, 163),
313	AutoFocusSetInUpToNewValue	0X00	DB	0X0000	0X0000	0XFF	0XFF	0X00	0x33	0X0000		0X0000	0X00	0X0000	0X00	0X00	0X001F	0X001F	0X0000	0X00, 0X00, 0X001F, 0X001F, 0X0000),
314		0X00	0X0000	0X0000	0X0000	0x00	0x00	0X00	0X00	0X0000		0X0000	0X00	0X0000	0X00	0X00	0X001F	0X001F	0X0000	0X00, 0X00, 0X001F, 0X001F, 0X0000),
315		0X00	0X0000	0X0000	0X0000	0X00	0X00	0X00	0X00	0X0000		0X0000	0X00	0x0033	0x01	0x01	0X0101	0X0101	0X0000	0X01, 0X00, 0X0101, 0X0101, 0X0000),
316	Set Stream Full Sensor	0X00	0X0000	0X0000	0X0000	0X00	0XFF	0X00	0X00	0X0000		0X0000	0X00	0X0000	0X00	0X01	0X0101	0X0001	318	0x01, 0X00, 0X0000, 0X0001, 318),
317	Run DriveCache Pump and Pixel Pipeline	RP	RP	0X0000	0X0000	0X00	0x25	0X00	0X00	0X0000		0X0000	0X00	0X0000	0X00	0X00	0X001F	0X001F	319	0X00, 0X00, 0X001F, 0X001F, 319),

State Index	State Description	SPAcmd	FBAcmd	STMcmd	OBAcmd	SPAstat	FBAstat	STMstat	OBAstat	SMTest	ToSM	Tvalue	Tfunc	Sens	STst	SMsk	End	Bran	Dest	Translated Parameters
376		0x0000	0x0000	0x0000	0x0000	0xFF	0x00	0X00	0X00	0X0000	0x32	0X0000	0X00	0X0000	0X00	0X00	0X001F	0X001F	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000
377	Prime Inner Lines #2	PL	0x0000	0x0000	0x0000	0x22	0x00	0X00	0X00	0X0000	0x32	0X0000	0X00	0X0000	0X00	0X00	0X001F	0X001F	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000
378		0x0000	0x0000	0x0000	0x0000	0xFF	0x00	0X00	0X00	0X0000	0x32	0X0000	0X00	0X0000	0X00	0X00	0X001F	0X001F	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000
379	Prime Aspiration Line	TR	PA	0x0000	0x0000	0x00	0x28	0X00	0X00	0X0000	0x32	0X0000	0X00	0X0000	0X00	0X00	0X001F	0X001F	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000
380		0x0000	0x0000	0x0000	0x0000	0xFF	0xFF	0X00	0X00	0X0000	0x32	0X0000	0X00	0X0000	0X00	0X00	0X001F	0X001F	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000
381		0x0000	DE	0x0000	0x0000	0xFF	0x30	0X00	0X00	0X0000	0x32	0X0000	0X00	0X0000	0X00	0X00	0X001F	0X001F	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000
382	Debubble	0x0000	DE	0x0000	0x0000	0x00	0xFF	0X00	0X00	0X0000	0x32	0X0000	0X00	0X0000	0X00	0X00	0X001F	0X001F	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000
383		0x0000	RP	0x0000	0x0000	0x25	0x00	0X00	0X00	0X0000	0x32	0X0000	0X00	0X0000	0X00	0X00	0X001F	0X001F	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000
384	Turn On Rinse Pump and Rinse Pipeter	TR	0x0000	0x0000	0x0000	0x00	0xFF	0X00	0X00	0X0000	0x32	0X0000	0X00	0X0000	0X00	0X00	0X001F	0X001F	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000
385		0x0000	0x0000	0x0000	0x0000	0xFF	0xFF	0X00	0X00	0X0000	0x32	0X0000	0X00	0X0000	0X00	0X00	0X001F	0X001F	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000
386		0x0000	0x0000	0x0000	0x0000	0x00	0x00	0X00	0X00	0X0000	0x32	0X0000	0X00	0X0000	0X00	0X00	0X001F	0X001F	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000
387	Clear Pipeter	CP	HC	0x0000	0x0000	0X18	0x00	0X00	0X00	0X0000	0x32	0X0000	0X00	0X0000	0X00	0X00	0X001F	0X001F	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000
388		0x0000	0x0000	0x0000	0x0000	0xFF	0xFF	0X00	0X00	0X0000	0x32	0X0000	0X00	0X0000	0X00	0X00	0X001F	0X001F	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000
389		0x0000	0x0000	0x0000	0x0000	0x00	0xFF	0X00	0X00	0X0000	0x32	0X0000	0X00	0X0000	0X00	0X00	0X001F	0X001F	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000
390	Move to Next tube position	0x0000	0x0000	MN	0x0000	0x00	0x00	0X32	0X00	0X0000	0x36	0X0051	0x44	0X0000	0X00	0X00	0X001F	0X0101	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000
391	Branch to "16" (Go Resume)	0x0000	0x0000	0x0000	0x0000	0x00	0x00	0X00	0X00	0X0000	0xFF	0X0000	0X00	0X0000	0X0101	0x3138	0X0000	0x3138	0X0000	0X00, 0X00, 0X0000, 0X0101, 0x3138
392	End WA (Wash)	0x0000	0x0000	0x0000	0x0000	0x00	0x00	0X00	0X00	0X0000	0xFF	0X0000	0X00	0X0000	0x0000	0x0080	0X0000	0x0080	0X0000	0X00, 0X00, 0X0009, 0x0080, 0X0000
393	Start ZZ (Sleep)	0x0000	0x0000	0x0000	0x0000	0x00	0x00	0X00	0X00	0X0000		0X0000	0X00	0X0000	0x0000	0x0000	0X0000	0X0000	0X0000	0X00, 0X00, 0x0000, 0x0080, 0X0000
394	End ZZ (Sleep)	RE	RE	RE	RE	0xFF	0xFF	0XFF	0XFF	0X0000		0X0052	0X00	0X0000	0XCAAA	0X0000	0XCAAA	0X0000	0X0000	0X00, 0X00, 0XCAAA, 0X0000, 0X0000
395	Start SS: Reset HLC4	RE	RE	RE	RE	0xFF	0xFF	0XFF	0XFF	0X0000	0	0X0000	0X00	0X0000	0x0101	0X0000	0x0101	0X0000	0X0000	0X00, 0X00, 0x0101, 0X0000, 0X0000
396	Make sure output is clear (STM/IC returns "f" or "F")	0x0000	0x0000	IC	0x0000	0x00	0x00	0x54	0X00	0X0000	0	0X0000	0X00	0X0000	0x0101	0x0008	0x0101	0x0008	400	0X00, 0X00, 0x0101, 0x0008, 400
397	Got "T?" if so, branch to SetFrontPanelLightsSS1	0x0000	0x0000	0x0000	0x0000	0x00	0x00	0x46	0X00	0X0000	0	0X0000	0X00	0X0000	0x0101	0x0008	0x0101	0x0008	434	0X00, 0X00, 0x0101, 0x0008, 434
398	Got "F?" if so, branch to end of GO sequence	0x0000	0x0000	0x0000	0x0000	0x31	0x00	0XFF	0X00	0X0000	0	0X0000	0X00	0X0000	0x0000	0x0101	0x0000	0x0101	397	0X00, 0X00, 0X0000, 0x0101, 397
399	Loop back to LookingForT1	PH	0x0000	M1	0x0000	0xFF	0x00	0X00	0X00	0X0000	0	0X0000	0X00	0X6000	0X005F	0X0000	0X005F	0X0000	0X0000	0X09, 0X00, 0X005F, 0X0000, 0X0000
400	Set front panel lights (button green, LED blue)	PH	0x0000	M1	0x0000	0xFF	0x00	0XFF	0X00	0X0000	0	0X0000	0X00	0X0000	0X0101	0X0000	0X0101	0X0000	0X0000	0X00, 0X00, 0X0101, 0X0000, 0X0000
401	Tell STM to find rack	0x0000	0x0000	0x0000	0x0000	0x00	0x00	0X31	0X00	0X0000	0	0X0000	0X00	0X0000	0X0101	0x0008	0X0101	0x0008	405	0X00, 0X00, 0X0101, 0X0008, 405
402	If 31 from STM gotb	0x0000	0x0000	0x0000	0x0000	0x00	0x00	0X39	0X00	0X0000	0	0X0000	0X00	0X0000	0X0101	0x0008	0X0101	0x0008	434	0X00, 0X00, 0X0101, 0X0008, 434
403	No rack = EndSSBranchTarget	0x0000	0x0000	0x0000	0x0000	0x00	0x00	0X00	0X00	0X0000	0	0X0000	0X00	0X0000	0X001F	0x0101	0X001F	0x0101	402	0X00, 0X00, 0X001F, 0x0101, 402
404	Loop Back	0x0000	0x0000	0x0000	0x0000	0xFF	0x00	0XFF	0XFF	0X0000	0	0X0053	0x44	0X0000	0xBA0A	0X0000	0xBA0A	0X0000	0X0000	0X00, 0X00, 0xBA0A, 0X0000, 0X0000
405	WaitUntilSTMAIdle_SS (wait for SPA idle as well)	0x0000	0x0000	MN	0x0000	0x13	0x00	0X32	0X00	0X0000	0x36	0X0054	0x44	0X0000	0X001F	0X0000	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000
406	Move to Next tube position (first tube aspirate position)	TT	0x0000	0x0000	0x0000	0xFF	0x00	0X00	0X00	0X0000	0	0X0000	0X00	0X0000	0X001F	0X0000	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000
407	To test tube	TT	0x0000	0x0000	0x0000	0x11	0x00	0X00	0X00	0X0000	0	0X0000	0X00	0X0000	0X001F	0X0000	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000
408	Wait for TD complete	0x0000	RC	0x0000	0x0000	0xFF	0x00	0X00	0X00	0X0000	0	0X0000	0X00	0X0000	0X001F	0X0000	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000
409	Start sheath for background capture	SB	0x0000	0x0000	0x0000	0x31	0x00	0X00	0X00	0X0000	0	0X0000	0X00	0X0000	0X001F	0X0000	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000
410	Wait for SB complete	0x0000	0x0000	0x0000	0x0000	0xFF	0x00	0X00	0X00	0X0000	0	0X0000	0X00	0X0000	0X001F	0X0000	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000
411	Timer delay	0x0000	0x0000	0x0000	0x0000	0x34	0x00	0X00	0X00	0X0000	0	0x0055	0x42	0X0000	0x0000	0X0000	0x0000	0X0000	0X0000	0X00, 0X00, 0x0000, 0X0000, 0X0000
412	Turn off EP pump on SPA	EB	0x0000	0x0000	0x0000	0x34	0x00	0X00	0X00	0X0000	0	0X0000	0X00	0X0000	0x001F	0X0000	0x001F	0X0000	0X0000	0X00, 0X00, 0x001F, 0X0000, 0X0000
413	Wait for EB complete	0x0000	0x0000	0x0000	0x0000	0xFF	0x00	0X00	0X00	0X0000	0	0X0000	0X00	0X0000	0X001F	0X0000	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000
414	Move pipette down to aspirate position in test tube	TD	0x0000	0x0000	0x0000	0X13	0x00	0X00	0X00	0X0000	0	0X0000	0X00	0X0000	0X001F	0X0000	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000
415	Wait for TD complete	TT	0x0000	0x0000	0x0000	0xFF	0x00	0X00	0X00	0X0000	0	0X0000	0X00	0X0000	0X001F	0X0000	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000
416	Start aspiration for sample transfer	AS	RC	0x0000	0x0000	0x17	0x00	0X00	0X00	0X0000	0	0X0000	0X00	0X0000	0x8606	0X0000	0x8606	0X0000	0X0000	0X00, 0X00, 0x8606, 0X0000, 0X0000
417	Wait for AS and RC complete	0x0000	0x0000	0x0000	0x0000	0xFF	0x00	0XFF	0X00	0X0000	0	0X0000	0X00	0X0000	0X0010	0X0000	0X0010	0X0000	0X0000	0X00, 0X00, 0X0010, 0X0000, 0X0000
418	Timer delay	0x0000	0x0000	0x0000	0x0000	0x00	0x00	0X00	0X00	0X0000	0	0x0056	0x42	0X0000	0x0000	0X0000	0x0000	0X0000	0X0000	0X00, 0X00, 0x0000, 0X0000, 0X0000
419	Turn off EP pump on SPA; SP pump on FBA	EB	EB	0x0000	0x0000	0x34	0x00	0X00	0X00	0X0000	0	0X0000	0X00	0X0000	0X001F	0X0000	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000
420	Wait for EB's complete (SPA and FBA)	EB	DB	0x0000	0x0000	0xFF	0xFF	0X00	0X00	0X0000	0	0x0058	0x44	0x0000	0x8606	0X0000	0x8606	0X0000	0X0000	0X00, 0X00, 0x8606, 0X0000, 0X0000
421	To Waste Well	TW	0x0000	0x0000	0x0000	0X15	0x00	0X33	0X00	0X0000	0x2F	0x0059	0x44	0X0000	0XBA0A	0X0000	0XBA0A	0X0000	0X0000	0X00, 0X00, 0XBA0A, 0X0000, 0X0000
422		0x0000	0x0000	0x0000	0x0000	0xFF	0x00	0X00	0X00	0X0000	0	0X0000	0X00	0X0000	0X001F	0X0000	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000
423		0x0000	RP	0x0000	0x0000	0x25	0x00	0X00	0X00	0X0000	0	0X0000	0X00	0X0000	0X001F	0X0000	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000
424	Turn On Rinse Pump and Rinse Pipeter	TR	0x0000	0x0000	0x0000	0xFF	0x00	0X00	0X00	0X0000	0	0X0000	0X00	0X0000	0X001F	0X0000	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000
425		0x0000	0x0000	0x0000	0x0000	0xFF	0x00	0X00	0X00	0X0000	0	0X0000	0X00	0X0000	0X001F	0X0000	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000
426		0x0000	0x0000	0x0000	0x0000	0x00	0x00	0X00	0X00	0X0000	0	0X0000	0X00	0X0000	0X001F	0X0000	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000
427	Clear Pipeter/Home CP and SP/Move to Next Tube	CP	HC	MN	0x0000	0X18	0x00	0X00	0X00	0X0000	0x36	0X0000	0X00	0X0000	0X001F	0X0000	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000
428		0x0000	0x0000	0x0000	0x0000	0xFF	0x00	0X00	0X00	0X0000	0	0X0000	0X00	0X0000	0X001F	0X0000	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000
429		0x0000	0x0000	0x0000	0x0000	0xFF	0xFF	0X00	0X00	0X0000	0	0X0000	0X00	0X0000	0X001F	0X0000	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000
430		0x0000	0x0000	0x0000	0x0000	0x00	0x00	0XFF	0X00	0X0000	0	0x0057	0x44	0X0000	0X001F	0X0000	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000
431	Make sure SPA and STM idle	PH	0x0000	CR	0x0000	0xFF	0x00	0X00	0X00	0X0000	0	0x0059	0x44	0X0000	0X001F	0X0000	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000
432	Send CR to STM, Home Pipeter	PH	0x0000	CR	0x0000	0xFF	0x00	0XFF	0X00	0X0000	0x2F	0x0059	0x44	0X0000	0XBA0A	0X0000	0XBA0A	0X0000	0X0000	0X00, 0X00, 0XBA0A, 0X0000, 0X0000
433	Home STM carriers	0x0000	0x0000	0x0000	0x0000	0xFF	0x00	0XFF	0X00	0X0000	0	0X0000	0X00	0X0000	0X001F	0X0000	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000
434	End of SS sequence	0x0000	0x0000	0x0000	0x0000	0x00	0x00	0X00	0X00	0X0000	0	0X0000	0X00	0X7046	0X0101	0X0000	0X0101	0X0000	0X0000	0X00, 0X01, 0X0101, 0X0000, 0X0000
435																				

Fig. 81

MC

State Index	State Description	SPAcmd	FBAcmd	STMcmd	OBAcmd	SPAstat	FBAstat	STMstat	OBAstat	SMTest	ToSM	Tvalue	Ttunc	Sens	STst	SMsk	End	Bran	Dest	Translated Parameters
436		0X0000	0X0000	0X0000	0X0000	0X00	0X00	0X00	0X00	0X0000	0	0X0000	0X00	0X0000	0X00	0X00	0X0101	0X0000	0X0000	0X00, 0X00, 0X0101, 0X0000, 0X0000,
437		0X0000	0X0000	0X0000	0X0000	0X00	0X00	0X00	0X00	0X0000	0	0X0000	0X00	0X0000	0X00	0X00	0X0101	0X0000	0X0000	0X00, 0X00, 0X0101, 0X0000, 0X0000,
438	Unconditional Branch to GO	0X0000	0X0000	0X0000	0X0000	0X00	0X00	0X00	0X00	0X0000	0	0X0000	0X00	0X0000	0X00	0X00	0X0000	0X0101	0X474F	0X00, 0X00, 0X0000, 0X0101, 0X474F,
439	End of SYS	0X0000	0X0000	0X0000	0X0000	0X00	0X00	0X00	0X00	0X0000	0	0X0000	0X00	0X0000	0X00	0X00	0X0101	0X0000	0X0000	0X00, 0X00, 0X0101, 0X0000, 0X0000,
440		0X0000	0X0000	0X0000	0X0000	0X00	0X00	0X00	0X00	0X0000	0	0X0000	0X00	0X7046	0X00	0X01	0X0101	0X0101	0X0000	0X00, 0X01, 0X0101, 0X0000, 0X0000,
441		0X0000	0X0000	0X0000	0X0000	0X00	0X00	0X00	0X00	0X0000	0	0X0000	0X00	0X0000	0X00	0X00	0X0101	0X0000	0X0000	0X00, 0X00, 0X0101, 0X0000, 0X0000,
442	Unconditionally Branch to GO	0X0000	0X0000	0X0000	0X0000	0X00	0X00	0X00	0X00	0X0000	0	0X0000	0X00	0X0000	0X00	0X00	0X0000	0X0101	0X474F	0X00, 0X00, 0X0000, 0X0101, 0X474F,
443		0X0000	0X0000	0X0000	0X0000	0X00	0X00	0X00	0X00	0X0000	0	0X0000	0X00	0X0000	0X00	0X00	0X0101	0X0101	0X0000	0X00, 0X00, 0X0101, 0X0000, 0X0000,
444	EK	0X0000	0X0000	0X0000	0X0000	0X00	0X00	0X00	0X00	0X0000	0	0X0000	0X00	0X0000	0X00	0X00	0X0101	0X0000	0X0000	0X00, 0X00, 0X0101, 0X0000, 0X0000,
445		0X0000	0X0000	0X0000	0X0000	0X00	0X00	0X00	0X00	0X0000	0	0X0000	0X00	0X7046	0X00	0X01	0X0101	0X0101	0X0000	0X00, 0X01, 0X0101, 0X0000, 0X0000,
446		0X0000	0X0000	0X0000	0X0000	0X00	0X00	0X00	0X00	0X0000	0	0X0000	0X00	0X0000	0X00	0X00	0X0101	0X0000	0X0000	0X00, 0X00, 0X0101, 0X0000, 0X0000,
447		0X0000	0X0000	0X0000	0X0000	0X00	0X00	0X00	0X00	0X0000	0	0X0000	0X00	0X0000	0X00	0X00	0X0101	0X0101	0X0000	0X00, 0X00, 0X0101, 0X0000, 0X0000,
448	Unconditionally Branch to GO	0X0000	0X0000	0X0000	0X0000	0X00	0X00	0X00	0X00	0X0000	0	0X0000	0X00	0X0000	0X00	0X00	0X0000	0X0101	0X474F	0X00, 0X00, 0X0000, 0X0101, 0X474F,
449	End of KW	0X0000	0X0000	0X0000	0X0000	0X00	0X00	0X00	0X00	0X0000	0	0X0000	0X00	0X0000	0X00	0X00	0X0101	0X0101	0X0000	0X00, 0X00, 0X0101, 0X0000, 0X0000,
450	Timer expired	0X0000	0X0000	0X0000	0X0000	0X00	0X00	0X00	0X00	0X0000	0	0X0000	0X00	0XB030	0x05	0x43	0x0001	0X0101	453	0x05, 0x43, 0x0001, 0X0101, 453,
451	Turn strobe off	0X0000	0X0000	0X0000	0X0000	0X00	0X00	0X00	0X00	0X0000	0	0X0000	0X00	0X7000	0X00	0X01	0X0101	0X0101	0X0000	0X00, 0X01, 0X0101, 0X0000, 0X0000,
452		0X0000	0X0000	0X0000	0X0000	0X00	0X00	0X00	0X00	0X0000	0	0X0000	0X00	0X0000	0X00	0X00	0X0101	0X0101	0X0000	0X00, 0X00, 0X0101, 0X0000, 0X0000,
453	End of SD to	TT	0X0000	0X0000	0X0000	0x11	0x00	0X00	0X00	0X0000	0x34	0X0000	0X00	0X0000	0X00	0X00	0X001F	0X0000	0X0000	0X00, 0X00, 0X00, 0X001F, 0X0000, 0X0000,
454	Start OL (Diluent). To test tube	TT	0X0000	0X0000	0X0000	0x11	0x00	0X00	0X00	0X0000	0x32	0X0000	0X00	0X0000	0X00	0X00	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000,
455		0X0000	0X0000	0X0000	0X0000	0xFF	0x00	0X00	0X00	0X0000	0x32	0X0000	0X00	0X0000	0X00	0X00	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000,
456	Start sheath for background capture	SB	0X0000	0X0000	0X0000	0x31	0x00	0X00	0X00	0X0000	0x32	0X0000	0X00	0X0000	0X00	0X00	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000,
457	Wait for SB complete	0X0000	0X0000	0X0000	0X0000	0xFF	0x00	0X00	0X00	0X0000	0x32	0X0000	0X00	0X0000	0X00	0X00	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000,
458	Timer delay	0X0000	0X0000	0X0000	0X0000	0x00	0x00	0X00	0X00	0X0000	0x32	0X005A	0x42	0X0000	0X00	0X00	0x0000	0x0000	0X0000	0x00, 0x00, 0x0000, 0X0000, 0X0000,
459	Turn off EP pump on SPA	EB	0X0000	0X0000	0X0000	0x34	0x00	0X00	0X00	0X0000	0x32	0X0000	0X00	0X0000	0X00	0X00	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000,
460	Wait for EB complete	EB	0X0000	0X0000	0X0000	0xFF	0x00	0X00	0X00	0X0000	0x32	0X0000	0X00	0X0000	0X00	0X00	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000,
461	Move pipette down to aspirate position in test tube	TD	0X0000	0X0000	0X0000	0X13	0x00	0X00	0X00	0X0000	0x32	0X0000	0X00	0X0000	0X00	0X00	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000,
462	Wait for TD complete	0X0000	RC	0X0000	0X0000	0xFF	0x00	0X00	0X00	0X0000	0x32	0X0000	0X00	0X0000	0X00	0X00	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000,
463	Start aspiration for sample transfer	AS	RC	0X0000	0X0000	0x17	0x00	0X00	0X00	0X0000	0x32	0X0000	0X00	0X0000	0X00	0X00	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000,
464	Wait for AS and RC complete	0X0000	0X0000	0X0000	0X0000	0xFF	0xFF	0X00	0X00	0X0000	0x32	0X0000	0X00	0X0000	0X00	0X00	0X8606	0X8606	0X0000	0X00, 0X00, 0x8606, 0X0000, 0X0000,
465	Timer delay	0X0000	0X0000	0X0000	0X0000	0x00	0x00	0X00	0X00	0x0067	0x32	0X0000	0x42	0X0010	0X00	0X00	0X0010	0X0000	0X0000	0X00, 0X00, 0X0010, 0X0000, 0X0000,
466	Turn off EP pump on SPA, SP pump on FBA	EB	EB	0X0000	0X0000	0x34	0x00	0X00	0X00	0X0000	0x32	0X0000	0X00	0X0000	0X00	0X00	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000,
467	Wait for EB's complete (SPA and FBA)	0X0000	0X0000	0X0000	0X0000	0xFF	0xFF	0X00	0X00	0X0000	0x32	0X0000	0X00	0X0000	0X00	0X00	0X8606	0X8606	0X0000	0X00, 0X00, 0x8606, 0X0000, 0X0000,
468	To Waste Well	TW	DB	0X0000	0X0000	0x15	0x00	0X00	0X00	0X0000	0x32	0X0000	0X00	0X0000	0X00	0X00	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000,
469		0X0000	0X0000	0X0000	0X0000	0xFF	0x00	0X00	0X00	0X0000	0x32	0X0000	0X00	0X0000	0X00	0X00	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000,
470	Turn On Rinse Pump and Rinse Pipetter	0X0000	RP	0X0000	0X0000	0x00	0x25	0X00	0X00	0X0000	0x32	0X0000	0X00	0X0000	0X00	0X00	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000,
471		TR	RP	0X0000	0X0000	0xFF	0x00	0X00	0X00	0X0000	0x32	0X0000	0X00	0X0000	0X00	0X00	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000,
472		0X0000	0X0000	0X0000	0X0000	0xFF	0xFF	0X00	0X00	0X0000	0x32	0X0000	0X00	0X0000	0X00	0X00	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000,
473	Clear Pipetter/Home CP and SP	CP	HC	0X0000	0X0000	0X18	0x00	0X00	0X00	0X0000	0x32	0X0000	0X00	0X0000	0X00	0X00	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000,
474		0X0000	0X0000	0X0000	0X0000	0xFF	0xFF	0X00	0X00	0X0000	0x32	0X0000	0X00	0X0000	0X00	0X00	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000,
475		0X0000	0X0000	0X0000	0X0000	0x00	0x00	0X00	0X00	0X0000	0x32	0X0000	0X00	0X0000	0X00	0X00	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000,
476		0X0000	0X0000	0X0000	0X0000	0xFF	0xFF	0X00	0X00	0X0000	0x32	0X0000	0X00	0X0000	0X00	0X00	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000,
477		0X0000	0X0000	0X0000	0X0000	0x00	0x00	0XFF	0X00	0X0000	0x32	0X0000	0X00	0X0000	0X00	0X00	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000,
478	Retrieve tube number, branch to Kill (KL) if 10 (0x0A), term otherwise	0X0000	0X0000	0X0708	0X0000	0X00	0X00	0x0A	0X00	0X0000	0x32	0X005D	0x44	0X0000	0X00	0X00	0X0101	0X0008	0x4B4C	0X00, 0X00, 0X0101, 0X0008, 0x4B4C,
479	Move to Next tube position	0X0000	0X0000	MN	0X0000	0xFF	0x32	0X32	0X00	0X0000	0x36	0X005E	0x44	0X0000	0X00	0X00	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000,
480	Branch to ...	0X0000	0X0000	0X0000	0X0000	0x00	0x00	0X00	0X00	0X0067	0x32	0X0000	0x42	0X0000	0X00	0X00	0X0000	0X0101	0x3136	0X00, 0X00, 0X0000, 0X0101, 0x3136,
481	End of DL sequence	0X0000	0X0000	0X0000	0X0000	0x00	0x00	0X00	0X00	0X0000		0X0000		0X0000	0X00	0X00	0X0000	0X0000	0X0000	
482	Send KL (Kill), Send CR to STM, HS to FBA (C24): Home Pipetter, flash STANDBY	PH	HS	CR	0X0000	0x12	0x21	0X33	0X00	0X0000	0x00	0X005F	0x44	0x0000	0x00	0X00	0xBE0E	0X0000	0X0000	0x00, 0X00, 0xBE0E, 0X0000, 0X0000,
483	Flash STANDBY	0x0000	0X0000	0X0000	0X0000	0x00	0x00	0X00	0X00	0X0000	0x00	0x0000	0x00	0x6001	0x10	0X00	0x0101	0x0101	0X0000	0x10, 0X00, 0X0101, 0X0000, 0X0000,
484	Send SMCStkInShutdown message to ...	0x0000	0X0000	0X0000	0X0000	0x00	0x00	0X00	0X00	0X0000	0x35	0x0000	0X00	0X0000	0X00	0X00	0x0000	0X0000	0X0000	0X00, 0X00, 0X0000, 0X0000, 0X0000,
485	End of KC sequence error exit condition	0x0000	0X0000	0X0000	0X0000	0x00	0x00	0X00	0X00	0X0000		0X0060	0x44	0X0000	0X00	0X00	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000,
486	BX Background Error Exit	EB	EB	0X0000	0X0000	0x00	0x00	0X00	0X00	0X0000	0	0X0000	0X00	0X0000	0X00	0X00	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000,
487	Dummy	0X0000	0X0000	0X0000	0X0000	0x00	0x00	0X00	0X00	0X0000	0	0X0000	0X00	0X0000	0X00	0X00	0X001F	0X0000	0X0000	0X00, 0X00, 0X001F, 0X0000, 0X0000,

Fig. 8J

State Order	State Description	Energized (Valves Only)	EP	First Motor	Scan Motor	SP	Sensor Select	Sensor State	Sensor Mask	Motor Test	SM Test	ToSM	Tvalue	Tfunc	End Ctrl	Bran Ctrl	Dest
0	IDLE		0	80FF	0	80FF	0000	0	0	0	0X0000	0xFF	0X0000	0X0	0x0007	0x0000	0x0000
1	"TT" Home Evacuation Pump / Rotate out to tube	J7 air chrg vlv, EBV3,	80FD	80FF	8441	80FF	0000	0	0	FB	0X0000	0X11	0X0000	0X0	0x0007	0x0000	0x0000
2	Place Roller on Tube (EP -45 Deg)	EBV3,	860C	80FF	0	80FF	0000	0	0	B3	0X0000	0X11	0X0000	0X0	0x0007	0x0000	0x0000
3	Dummy		80FF	80FF	0	80FF	0000	0	0	F3	0X0000	0X11	0X0000	0X0	0x0007	0x0000	0x0000
4	"PH" - Home Vertical TO Lift Pippeter AND SEND PIPPETER BACK TO back sensor then to WASTE WELL		80FF	80FE	80FF	80FF	0000	0	0	FF	0X0000	0X00	0X0000	0X0	0x0007	0x0000	0x0000
5	Home Rotational Motor to back sensor		80FF	80FF	80FE	80FF	0000	0	0	FF	0X0000	0X00	0X0000	0X0	0x0007	0x0000	0x0000
6	Rotate out -3 deg to waste well		80FF	80FF	8440	80FF	0000	0	0	FB	0X0000	0X00	0X0000	0X0	0x0007	0x0000	0x0000
7	Checking pressure	J7 air chrg vlv,	80FF	80FF	0	80FF	10B0	6	54	F3	0X0000	0X00	0X0000	0X0	0x0001	0x0101	9
8	Recharge	J7 air chrg vlv,	80FF	80FF	0	80FF	10B0	5	54	F3	0X0000	0X00	0X0000	0X0	0x0001	0x0000	0x0000
9	Dummy		80FF	80FF	0	80FF	0000	0	0	F3	0X0000	0X12	0X000C	0X0	0x0007	0x0000	0x0000
10	"TD" - Down to test tube		0	8643	0	80FF	0000	0	0	23	0X0000	0X13	0X0000	0X0	0x0007	0x0000	0x0000
11	Dummy		80FF	80FF	0	80FF	0000	0	0	F3	0X0000	0X13	0X0000	0X0	0x0007	0x0000	0x0000
12	"AS" - Mix Sample (BP 1.5 Sec)	J10 burp vlv, CBV3, EBV3,	80FF	80FF	0	80FF	0000	0	0	F3	0X0000	0X17	0x0004	0x42	0x0000	0x0000	0x0000
13	Delay Before Aspirate	CBV3, EBV3,	80FF	80FF	0	80FF	0000	0	0	F3	0X0000	0X17	0X0023	0X42	0x0000	0x0000	0x0000
14	Aspirate to beginning of Flow Cell	SI, J7 air chrg vlv, CBV3, PBV3,	4009	80FF	0	80FF	0000	0	0	33	0X0000	0X17	0X0024	0x42	0x0000	0x0000	0x0000
15	Activate SBV to fill flow cell while pulling EP during fast push of CP	SBV3,	4022	80FF	0	80FF	0000	0	0	33	0X0000	0X17	0X0025	0x0	0x0007	0x0000	0x0000
16	Activate SBV to fill flow cell while pulling EP during slow push of CP during analysis	SBV3,	401D	80FF	0	80FF	0000	0	0	33	0X0000	0X17	0X0000	0X0	0x0007	0x0000	0x0000
17	Dummy	SBV3,	0	80FF	0	80FF	0000	0	0	33	0X0000	0X17	0X0000	0X0	0x0007	0x0000	0x0000
18	"TW" Lift Pippeter to 2/3 of the tube		80FF	D556	0	80FF	0000	0	0	E3	0X0000	0X00	0X0000	0X0	0x0007	0x0000	0x0000
19	Lift Pippeter to the top and Spit air	J10 burp vlv,	80FF	80FE	0	80FF	0000	0	0	F3	0X0000	0X00	0X0000	0X0	0x0007	0x0000	0x0000
20	Rotate In to Waste Well		80FF	80FF	8442	80FF	0000	0	0	FB	0X0000	0x00	0X0000	0X0	0x0007	0x0000	0x0000
21	Down to Waste Well		80FF	8647	0	90FF	0000	0	0	E3	0X0000	0X00	0X0005	0X0	0x0007	0x0000	0x0000
22	Dummy		80FF	80FF	0	80FF	0000	0	0	F3	0X0000	0X15	0X0000	0X0	0x0007	0x0000	0x0000
23	"CP" Clean Flowcell Window for 2 sec	CBV3, SBV3,	4019	80FF	0	80FF	0000	0	0	33	0X0000	0X00	0X0027	0X42	0x0000	0x0000	0x0000
24	Raise Pippeter		80FF	D556	0	80FF	0000	0	0	E3	0X0000	0x16	0X0000	0X0	0x0007	0x0000	0x0000
25	Clear Pippeter	J10 burp vlv,	80FF	80FF	0	80FF	0000	0	0	F3	0X0000	0x16	0X0005	0X42	0x0007	0x0000	0x0000
26	Lift Pippeter		80FF	80FE	0	80FF	0000	0	0	E3	0X0000	0x16	0X0000	0X0	0x0007	0x0000	0x0000
27	Dummy		80FF	80FF	0	80FF	0000	0	0	F3	0X0000	0X16	0X0000	0X0	0x0007	0x0000	0x0000
28	"PS" Prime Sheath Supply Line		80FF	80FF	0	80FF	0000	0	0	F3	0X0000	0X00	0X0028	0X42	0x0000	0x0000	0x0000
29	Dummy		80FF	80FF	0	80FF	0000	0	0	F3	0X0000	0X20	0X0000	0X0	0x0007	0x0000	0x0000

FIG. 9A

#	Description	Valve															
30	"PP" Prime Evacuation Pump	EBV3,	D758	80FF	0	80FF	0000	0	0	B3	0X0000	0X00	0X0000	0X0	0x0007	0x0000	0x0000
31	Hold EBV3 for 3 sec	EBV3,	80FF	80FF	0	80FF	0000	0	0	F3	0X0000	0x00	0X0029	0X42	0x0000	0x0000	0x0000
32	Dummy		80FF	80FF	0	80FF	0000	0	0	F3	0X0000	0X21	0X0000	0X0	0x0007	0x0000	0x0000
33	"PL" Home EP	EBV3,	80FD	80FF	0	80FF	0000	0	0	F3	0X0000	0X00	0X0000	0X0	0x0007	0x0000	0x0000
34	Prime Inner Line #2	CBV3, SBV3,	DB5C	80FF	0	80FF	0000	0	0	B3	0X0000	0X00	0X0000	0X0	0x0007	0x0000	0x0000
35	Dummy		80FF	80FF	0	80FF	0000	0	0	F3	0X0000	0x22	0X0000	0X0	0x0007	0x0000	0x0000
36	"TR" Turn On Rinse Pump for 2 Sec		80FF	80FF	0	80FF	0000	0	0	F3	0X0000	0x23	0X002A	0X42	0x0000	0x0000	0x0000
37	Checking pressure	J7 air chrg vlv,	80FF	80FF	0	80FF	10B0	6	54	F3	0X0000	0x23	0X0000	0X0	0x0001	0x0101	38
38	Recharge		80FF	80FF	0	80FF	10B0	5	54	F3	0X0000	0x23	0x0006	0x42	0x0001	0x0000	0x0000
39	Fill sheath tank for 2 sec	J7 air chrg vlv,	80FF	80FF	0	80FF	0000	0	0	F3	0X0000	0X23	0X0000	0X0	0x0007	0x0000	0x0000
40	Dummy		80FF	80FF	0	80FF	0000	0	0	F3	0X0000	0X00	0X0000	0X0	0x0007	0x0000	0x0000
41	"HP" Home EP	EBV3,	80FD	80FF	0	80FF	0000	0	0	F3	0X0000	0x24	0X0000	0X0	0x0007	0x0000	0x0000
42	Dummy		80FF	80FF	0	80FF	0000	0	0	F3	0X0000	0X00	0X0000	0X0	0x0007	0x0000	0x0000
43	"SB" Transfer Sheath During Background	CBV3, SBV3,	401A	80FF	0	80FF	0000	0	0	33	0X0000	0X31	0X0000	0x0	0x0101	0x0000	0x0000
44	Dummy	CBV3, SBV3,	0	80FF	0	80FF	0000	0	0	33	0X0000	0X31	0X0000	0X0	0x0001	0x0000	0x0000
45	"EB" End Background (EP off)	CBV3, SBV3,	80FF	80FF	0	80FF	0000	0	0	F3	0X0000	0X34	0X0000	0x42	0x0007	0x0000	0x0000
46	Dummy		80FF	80FF	0	80FF	0000	0	0	F3	0X0000	0X34	0X0000	0X0	0x0007	0x0000	0x0000
47	"DF" Drain Flowcell	PBV3,	DE5F	80FF	0	80FF	0000	0	0	83	0X0000	0X00	0X0000	0X0	0x0007	0x0000	0x0000
48	Dummy		80FF	80FF	0	80FF	0000	0	0	F3	0X0000	0X26	0X0000	0X0	0x0007	0x0000	0x0000
49	"IC" Home EP	EBV3,	80FD	80FF	0	80FF	0000	0	0	F3	0X0000	0X00	0X0000	0X0	0x0007	0x0000	0x0000
50	Place Roller on Tube (EP -45 Deg)	EBV3,	860C	80FF	0	80FF	0000	0	0	B3	0X0000	0X26	0X0000	0X0	0x0007	0x0000	0x0000
51	Down to test tube	PBV3,	80FF	8643	0	80FF	0000	0	0	E3	0X0000	0X00	0X0000	0x0	0x0007	0x0000	0x0000
52	Wash Flow Cell With IRISOLVE	PBV3,	E061	80FF	0	80FF	0000	0	0	B3	0X0000	0X00	0X0000	0X0	0x0007	0x0000	0x0000
53	Dummy		80FF	80FF	0	80FF	0000	0	0	F3	0X0000	0X27	0X0000	0X0	0x0007	0x0000	0x0000
54	Start "ZZ"		0	80FF	0	80FF	0000	0	0	0	0X0000	0XFF	0X0000	0X0	0x0000	0x0080	0x0000
55	End "ZZ"		0	80FF	0	80FF	0000	0	0	0	0X0000	0XFF	0X0000	0X0	0x0007	0x0000	0x0000
56	"RV" Reset Valves (subroutine to be used only during "BD" to turn off valves)		80FF	80FF	0	80FF	0000	0	0	F3	0X0000	0X00	0X0000	0X0	0x0007	0x0000	0x0000
57	Dummy		80FF	80FF	0	80FF	0000	0	0	F3	0X0000	0X26	0X0000	0X0	0x0007	0x0000	0x0000
58	"FP" Checking pressure		80FF	80FF	0	80FF	10B0	6	54	F3	0X0000	0X00	0X0000	0X0	0x0001	0x0101	60
59	Recharge		80FF	80FF	0	80FF	10B0	5	54	F3	0X0000	0X00	0X0000	0X0	0x0001	0x0000	0x0000
60	Dummy		80FF	80FF	0	80FF	0000	0	0	F3	0X0000	0x30	0X0000	0X0	0x0007	0x0000	0x0000
61	"S1" Turn on Sheath fill pump		80FF	80FF	0	80FF	0000	0	0	F3	0X0000	0x32	0X0000	0x0	0x010	0x0000	0x0000
62	Dummy		80FF	80FF	0	80FF	0000	0	0	F3	0X0000	0X32	0X0000	0X0	0x0000	0x0000	0x0000

FIG. 9B

#	Description														
63	"Sq" Turn off Sheath fill pump		80FF	80FF	0	80FF	0000	0	0	F3	0X0000	0X33	0x0000	0x0	0x0101	0x0000
64	Dummy		80FF	80FF	0	80FF	0000	0	0	F3	0X0000	0X33	0X0000	0X0	0x0000	0x0000
65	"TQ" Turn On Rinse Pump for 2 Sec without fill sheath		80FF	80FF	0	80FF	0000	0	0	F3	0X0000	0x23	0X002B	0X42	0x0000	0x0000
66	Checking pressure	J7 air chrg vlv,	80FF	80FF	0	80FF	10B0	6	54	F3	0X0000	0x23	0X0000	0X0	0x0001	68
67	Recharge	J7 air chrg vlv,	80FF	80FF	0	80FF	10B0	5	54	F3	0X0000	0x23	0X0000	0X0	0x0001	0x0000
68	Dummy		80FF	80FF	0	80FF	0000	0	0	F3	0X0000	0X23	0X0000	0X0	0x0007	0x0000
69	"HC" Initialize Evacuation Pump	J7 air chrg vlv, EBV3,	80FD	80FF	0	80FF	0000	0	0	F3	0X0000	0x27	0X0000	0X0	0x0007	0x0000
70	Place Roller on Tube (EP -45 Deg)	EBV3,	860C	80FF	0	80FF	0000	0	0	B3	0X0000	0x27	0X0000	0X0	0x0007	0x0000
71	Dummy		80FF	80FF	0	80FF	0000	0	0	F3	0X0000	0x27	0X0000	0X0	0x0007	0x0000

FIG. 9C

State Order	State Description	Energized Block Valves Only (Fluid)	CP	Dummy Motor	Dummy Motor	SP	Sensor Select	Sensor State	Sensor Mask	Motor Test	SM Test	ToSM	Tvalue	Ttrunc	End Ctrl	Bran Ctrl	Dest
0	IDLE...		0	80FF	80FF	0	0000	0	0	0	0X0000	0xFF	0X0000	0X0	0x0007	0x0000	0x0000
1	"HC" Home CP and SP	CBV3,	80FE	80FF	80FF	80FE	0000	0	0	FF	0X0000	0x21	0X0000	0X0	0x0007	0x0000	0x0000
2	Place Roller on Tape (CP 45 Deg)	CBV3,	8601	80FF	80FF	80FF	0000	0	0	BF	0X0000	0x21	0X0000	0X0	0x0007	0x0000	0x0000
3	Dummy		80FF	80FF	80FF	80FF	0000	0	0	FF	0X0000	0X21	0X0000	0X0	0x0007	0x0000	0x0000
4	"PC" Prime Cartout and Sheath Pump	CBV3,	C548	80FF	80FF	CA4B	0000	0	0	BE	0X0000	0x00	0X0000	0X0	0x0007	0x0000	0x0000
5	Dummy		80FF	80FF	80FF	80FF	0000	0	0	FF	0X0000	0x23	0X0000	0X0	0x0007	0x0000	0x0000
6	"P" Prime Bias	DRV3, EBV3,	CCAD	80FF	80FF	80FF	0000	0	0	BF	0X0000	0x00	0X0000	0X0	0x0007	0x0000	0x0000
7	Dummy		80FF	80FF	80FF	80FF	0000	0	0	FF	0X0000	0x24	0X0000	0X0	0x0007	0x0000	0x0000
8	Raise Pressure "P" On	SBV3, PBV3, EBV3,	80FF	80FF	80FF	C849	0000	0	0	FE	0X0000	0x00	0X0000	0x0	0x0007	0x0000	0x0000
9	Open SBV, PBV, and EBV to vent excess pressure out	SBV3, PBV3, EBV3,	80FF	80FF	80FF	80FF	0000	0	0	FF	0X0000	0x00	0x0014	0x42	0x0000	0x0000	0x0000
10	Dummy		80FF	80FF	80FF	80FF	0000	0	0	FF	0X0000	0x25	0X0000	0X0	0x0007	0x0000	0x0000
11	"P" Prime Application Bias	SBV3, PBV3, EBV3,	80FF	80FF	80FF	CE4F	0000	0	0	FE	0X0000	0x00	0X0000	0X0	0x0007	0x0000	0x0000
12	Dummy		80FF	80FF	80FF	80FF	0000	0	0	FF	0X0000	0x26	0X0000	0X0	0x0007	0x0000	0x0000
13	"P" Home CP and SP	CBV3,	80FE	80FF	80FF	80FE	0000	0	0	FF	0X0000	0x00	0X0000	0X0	0x0007	0x0000	0x0000
14	Dummy		0	80FF	80FF	80FF	0000	0	0	FF	0X0000	0x27	0X0000	0X0	0x0007	0x0000	0x0000
15	"R" Delay before running CP Pass High		80FF	80FF	80FF	8601	0000	0	0	FF	0X0000	0x28	0x0015	0x42	0x0000	0x0000	0x0000
16	Begin 16		4001	80FF	80FF	80FF	0000	0	0	3F	0X0000	0x28	0x0016	0x42	0x0000	0x0000	0x0000
17	Slow CP down during analyze		4002	80FF	80FF	80FF	0000	0	0	3F	0X0000	0x28	0X0000	0X0	0x0007	0x0000	0x0000
18	Dummy		0	80FF	80FF	80FF	0000	0	0	3F	0X0000	0x28	0X0000	0X0	0x0007	0x0000	0x0000
19	"B" Place SP Roller on Tape with 45 Deg move		80FF	80FF	80FF	80FF	0000	0	0	FE	0X0000	0x29	0X0000	0X0	0x0007	0x0000	0x0000
20	Dummy	CBV3, SBV3, DRV3, EBV3,	80FF	80FF	80FF	80FF	0000	0	0	FE	0X0000	0x29	0X0000	0X0	0x0007	0x0000	0x0000
21	Dummy		80FF	80FF	80FF	80FF	0000	0	0	FF	0X0000	0x29	0X0000	0X0	0x0007	0x0000	0x0000
22	"DE" Debubble SP on Sheath	CBV3, SBV3, DRV3, EBV3,	80FF	80FF	80FF	D051	0000	0	0	FE	0X0000	0x00	0X0000	0X0	0x0007	0x0000	0x0000
23	Dummy		80FF	80FF	80FF	80FF	0000	0	0	FF	0X0000	0x30	0X0000	0X0	0x0007	0x0000	0x0000
24	Begin 22		0	80FF	80FF	0	0000	0	0	0	0X0000	0xFF	0X0000	0X0	0x0000	0x0000	0x0000
25	End 22		0	80FF	80FF	0	0000	0	0	0	0X0000	0xFF	0X0000	0X0	0x0000	0x0080	0x0000
26	"C" Home CP	CBV3,	80FE	80FF	80FF	80FF	0000	0	0	FF	0X0000	0x00	0X0000	0X0	0x0007	0x0000	0x0000
27	Place Roller on Tape (CP 45 Deg)	CBV3,	8601	80FF	80FF	80FF	0000	0	0	BF	0X0000	0x00	0X0000	0X0	0x0007	0x0000	0x0000
28	Open Drain	DRV3, EBV3,	D263	80FF	80FF	80FF	0000	0	0	BF	0X0000	0x00	0X0000	0X0	0x0007	0x0000	0x0000
29	Dummy		80FF	80FF	80FF	80FF	0000	0	0	FF	0X0000	0x31	0X0000	0X0	0x0007	0x0000	0x0000

FIG. 10A

30		80FF	80FF	80FF	80FF	0000	0	0	FF	0X0000	0X00	0X0000	0X0	0X0007	0X0000	0X0000
31		80FF	80FF	80FF	80FF	0000	0	0	FF	0X0000	0X30	0X0000	0X0	0X0007	0X0000	0X0000
32	CBV3,	80FE	80FF	80FE	80FF	0000	0	0	FF	0X0000	0X00	0X0000	0X0	0X0007	0X0000	0X0000
33	CBV3,	8601	80FF	8601	80FF	0000	0	0	BE	0X0000	0X00	0X0000	0X0	0X0007	0X0000	0X0000
34		80FF	80FF	80FF	80FF	0000	0	0	FF	0X0000	0X21	0X0000	0X0	0X0007	0X0000	0X0000
35		80FF	80FF	80FF	80FF	0000	0	0	FF	0X0000	0X34	0X0000	0X0	0X0007	0X0000	0X0000
36		80FF	80FF	80FF	80FF	0000	0	0	FF	0X0000	0X34	0X0000	0X0	0X0007	0X0000	0X0000

FIG. 10B

State order	State Description	Dor	Dand	SM	CM	CI	CO	RC	SenSel	Slst	Smsk	Mlst	SMtst	ToSM	Tval	Tfnc	EndCtl	BrnCtl	Dest
(602)	(624)	(606)	(608)	(610)	(612)	(614)	(616)	(618)	(620)	(622)	(624)	(626)	(628)	(630)	(632)	(634)	(636)	(638)	(640)
0	Reset in general	0x00000000	0xFFFFFFEF	0X80FF	0X80FF	0X80FF	0X80FF	0x0000	0X0000	0X00	0X00	0X00	0X0000	0XFF	0X0000	0X00	0X0000	0x0000	0x0000
1	Start M1; Start HC	0x0000000	0xFFFFFEF	0X80FD	0X0000	0X80FF	0X80FF	0x0000	0X0000	0X00	0X00	0XFF	0X0000	0	0X0000	0X00	0x0007	0x0000	0x0000
2	End HC	0x00000000	0xFFFFFFFF	0X80FF	0X0000	0X80FF	0X80FF	0X0000	0X0000	0X00	0X00	0XFF	0X0000	0	0X0000	0X00	0x0007	0x0000	0x0000
3	Start HR	0x00000000	0xFFFFFFFF	0X80FF	0X0000	0X80FF	0X80FF	0X0000	0X0000	0X00	0X00	0XFF	0X0000	0	0X0000	0X00	0x0007	0x0000	0x0000
4	End HR	0x00000000	0xFFFFFFFF	0X80FF	0X0000	0X80FF	0X80FF	0X0000	0X0000	0X00	0X00	0XFF	0X0000	0	0X0000	0X00	0X0000	0x0000	0x0000
5	Start US; Branch if upstream not ready	0x00000000	0xFFFFFFFF	0X0000	0X0000	0X00900	0X0000	0X0000	0x0030	0x04	0x04	0xFF	0X0000	0	0X000A	0X42	0X0101	0x0101	12
6	Branch if buffer full	0x00000000	0xFFFFFFFF	0X0000	0X0000	0X0000	0X0000	0X0000	0x0230	0X00	0x04	0XFF	0X0000	0	0X0000	0X00	0X0001	0x0101	12
7	Signal OK to send rack; Wait for complete signal (ready)	0x00000010	0xFFFFFFFF	0X0000	0X0000	0X80FF	0X0000	0X0000	0x0030	0X00	0x04	0XFF	0X0000	0	0X0000	0X00	0X0000	0x0000	0x0000
8	Delay 200ms	0x00000000	0xFFFFFFFF	0X0000	0X0000	0X0000	0X0000	0X0000	0X0000	0X00	0X00	0XFF	0X0000	0	0X000B	0X42	0X0000	0x0000	0X0000
9	Unsignal OK to send rack; feed in 2 sec	0x00000000	0xFFFFFFEF	0X0000	0X0000	0X0900	0X0000	0X0000	0X0000	0X00	0X00	0XFF	0X0000	0	0X000C	0X42	0X0000	0x0000	0X0000
10	End US	0x00000000	0xFFFFFFFF	0X0000	0X0000	0X80FF	0X0000	0X0000	0x0030	0x04	0x04	0XFF	0X0000	0	0X000D	0X00	0X0006	0x0001	5
11	Wait if no other rack	0x00000000	0xFFFFFFFF	0X0000	0X0000	0X0900	0X0900	0X0000	0x0040	0X1F	0X1F	0XFF	0X0000	0	0X000D	0X42	0x0001	0X0000	0X0000
12	Run Rack in	0x00000000	0xFFFFFFFF	0X80FF	0X0000	0X0000	0X0000	0X0000	0x0040	0X1F	0X1F	0X00	0X0000	0	0X000E	0X43	0x0007	0x0000	17
13	Extra Second to make flush; Read rack ID for transmission	0x00000000	0xFFFFFFFF	0X80FF	0X0000	0X0900	0X0900	0X0000	0x0040	0X00	0x1F	0X00	0X0000	0	0X000F	0X42	0X0000	0x0000	0x0000
14	Stop Conveyor; Check if room at output side	0x00000000	0xFFFFFFFF	0X80FF	0X0000	0X80FF	0X80FF	0X0000	0x0230	0X01	0X01	0XFF	0X0000	0	0X0000	0X00	0x0006	0x001	17
15	Move Rack in	0x00000000	0xFFFFFFFF	0x8040	0X0000	0X80FF	0X80FF	0X0000	0X0000	0X00	0x00	0XFF	0X0000	0	0X0000	0X00	0x0007	0X0000	18
16	Got Rack	0x00000000	0xFFFFFFFF	0X0000	0X0000	0X0000	0X0000	0X0000	0X0000	0x00	0x00	0X00	0X0000	0x31	0X0010	0X43	0x0101	0x0000	0X0000
17	No Rack	0x00000000	0xFFFFFFFF	0X0000	0X0000	0X0000	0X0000	0X0000	0X0000	0x00	0x00	0XFF	0X0000	0x39	0X0011	0X42	0X0101	0X0000	0X0000
18	End M1; End U2	0x00000000	0xFFFFFFFF	0X80FF	0X0000	0X80FF	0X0000	0X0000	0x0040	0X1F	0X1F	0XFF	0X0000	0	0X0000	0X43	0X0000	0x0000	0X0000
19	Start MN; move to next tube position	0x00000000	0xFFFFFFFF	0x8000	0X0000	0X80FF	0X80FF	0X0000	0x0040	0X00	0X1F	0XFF	0X0000	0	0X0000	0X42	0X0007	0x0000	0x0000
20	Complete the move and get tube number	0x00000000	0xFFFFFFFF	0x80FF	0X0000	0X80FF	0X80FF	0X0000	0xE000	0X00	0X1F	0XFF	0X0000	0	0X0000	0X00	0x0007	0x0000	0x0000
21	Stabilize before reading tube detector	0x00000000	0xFFFFFFFF	0x80FF	0X0000	0X80FF	0X80FF	0X0000	0X0000	0X00	0X00	0XFF	0X0000	0	0X0012	0X42	0x0007	0x0000	0x0000
22	Store tube detector value; branch to Scan if tube present	0x00000000	0xFFFFFFFF	0X80FF	0X0000	0X80FF	0X80FF	0X0000	0X10A0	0x05	0x48	0X00	0X0000	0	0X0000	0X00	0x0202	0x0001	24
23	Unconditional branch to EndMN	0x00000000	0xFFFFFFFF	0x80FF	0X0000	0X80FF	0X80FF	0X0000	0X0000	0X00	0x00	0X00	0X0000	0	0X0000	0X00	0X0000	0x0202	25
24	Scan barcode	0x00000000	0xFFFFFFFF	0x80FF	0X0000	0X80FF	0X80FF	0X0000	0X4000	0X00	0X1F	0X00	0X0000	0	0X0000	0X00	0x0007	0x0000	0x0000
25	End MN; send completion to MC	0x00000000	0xFFFFFFFF	0X80FF	0X0000	0X80FF	0X80FF	0X0000	0X0000	0X00	0X00	0XFF	0X0000	0x32	0X0000	0X42	0x0007	0x0000	0x0000
26	Start ER	0x00000000	0xFFFFFFFF	0x8041	0X0000	0X80FF	0X80FF	0X0000	0X0000	0X00	0X00	0XFF	0X0000	0	0X0000	0X00	0x0007	0x0000	0x0000
27		0x00000000	0xFFFFFFFF	0x8004	0X0000	0X80FF	0X80FF	0X0000	0X0000	0x02	0x02	0X00	0X0000	0	0X0000	0X00	0x0007	0x0000	0x0000
28		0x00000000	0xFFFFFFFF	0X80FF	0X0000	0X80FF	0X0000	0X0000	0X0230	0X00	0x02	0X00	0X0000	0	0X0013	0x43	0x0007	0x0000	30
29	End ER; send completion to MC	0x00000000	0xFFFFFFFF	0X80FF	0X0000	0X80FF	0X80FF	0X0000	0X0000	0X00	0X00	0XFF	0X0000	0	0X0014	0x42	0x0007	0x0000	0x0000
30	Begin BR	0x00000000	0xFFFFFFFF	0X80FF	0X0000	0X80FF	0X80FF	0X0000	0X0000	0X00	0X1F	0XFF	0X0000	0x33	0X0000	0X00	0x0007	0x0202	0x0000
31		0x00000000	0xFFFFFFFF	0X0000	0X0000	0X0000	0X0000	0x0000	0X4000	0X00	0X1F	0X00	0X0000	0	0X0015	0X42	0x0007	0x0000	0x0000
32	End BR	0x00000000	0xFFFFFFFF	0x8044	0X0000	0X80FF	0X80FF	0x0000	0X0000	0X00	0X00	0X00	0X0000	0x44	0X0015	0X42	0x0007	0x0000	0x0000
33	End BR	0x00000000	0xFFFFFFFF	0X80FD	0X0000	0X80FF	0X0000	0x0000	0X0000	0X00	0x00	0X00	0X0000	0	0X0016	0X02	0x0007	0x0000	0x0000
34	Begin CR; run infeed conveyor in reverse	0x00000000	0xFFFFFFFF	0X80FF	0X0000	0X0100	0X80FF	0x0000	0X0000	0X00	0x00	0XFF	0X0000	0x30	0X0016	0X02	0x0007	0x0000	0x0000
35	Home sample carrier while discharge runs	0x00000000	0xFFFFFFFF	0X80FD	0x80FD	0X80FF	0X0900	0x0000	0X0000	0X00	0x00	0XFF	0X0000	0	0X0000	0X00	0x0007	0x0000	0x0000
36	Move Sample Lever to eject position	0x00000000	0xFFFFFFFF	0X8044	0X0000	0X80FF	0X0000	0x0000	0X0000	0X00	0x00	0XFF	0X0000	0	0X0000	0X00	0x0007	0x0000	0x0000
37	Home Sample Lever	0x00000000	0xFFFFFFFF	0X80FD	0X0000	0X80FF	0x0000	0x0000	0x0000	0X00	0x00	0XFF	0X0000	0	0X0000	0X00	0x0007	0x0000	0x0000

FIG.11A

#	Description																	
38	Run carrier output buffer, motor until sensor not blocked or until time out	0x00000000	0xFFFFFFFF	0X80FF	0X0000	0X80FF	0x0000	0x0230	0X00	0x01	0x00	0X0000	0	0X0017	0x42	0x0001	0x0000	0x0000
39	Run CO a little longer	0x00000000	0xFFFFFFFF	0X80FF	0X0000	0X80FF	0x0000	0x0000	0X00	0x00	0x00	0X0000	0	0X0018	0x42	0x0007	0x0000	0x0000
40	End CR	0x00000000	0xFFFFFFFF	0X80FF	0X0000	0X80FF	0X80FF	0x0000	0X00	0x00	0x00	0X0000	0X33	0X0000	0X00	0x0101	0x0101	0x0000
41	Begin IC (Is Clear): if output sensor not blocked branch to "Is Clear = True"	0x00000000	0xFFFFFFFF	0X80FF	0X0000	0X80FF	0x0000	0x0230	0X00	0x01	0x00	0X0000	0x30	0X0000	0X00	0x0101	0x0001	44
42	Run carrier output buffer, motor until sensor not blocked or until time out, if timeout branch to "Is Clear = False"	0x00000000	0xFFFFFFFF	0X80FF	0x0900	0X80FF	0x0000	0x0230	0X00	0x01	0x00	0X0000	0	0X0019	0x43	0x0001	0x0000	45
43	Run CO a little longer	0x00000000	0xFFFFFFFF	0X80FF	0X0900	0X80FF	0x0000	0x0000	0X00	0x00	0x00	0X0000	0	0X001A	0x42	0x0007	0x0000	0x0000
44	Is Clear = True: send "T", branch to End IS	0x00000000	0xFFFFFFFF	0X80FF	0X80FF	0X80FF	0x0000	0x0000	0X00	0x00	0x00	0X0000	0x54	0X0000	0X00	0x0000	0x0101	46
45	Is Clear = False: send "F"	0x00000000	0xFFFFFFFF	0X80FF	0X80FF	0X80FF	0x0000	0x0000	0X00	0x00	0x00	0X0000	0x46	0X0000	0X00	0x0101	0x0000	0x0000
46	End IS	0x00000000	0xFFFFFFFF	0X80FF	0X80FF	0X80FF	0x0000	0x0000	0X00	0x00	0x00	0X0000	0	0X0000	0X00	0x0101	0x0101	0x0000
47	Begin WR	0x00000000	0xFFFFFFFF	0X0000	0X0000	0X0000	0x0000	0x0030	0X04	0x04	0XFF	0X0000	0	0X0000	0X00	0x0001	0x0000	0x0000
48		0x00000000	0xFFFFFFFF	0X0000	0X0000	0X0000	0x0000	0x0000	0X00	0x00	0XFF	0X0000	0X52	0X001B	0x42	0x0000	0x0000	0x0000
49	End WR	0x00000000	0xFFFFFFFF	0X0000	0X0000	0X0000	0x0000	0x0000	0X00	0x00	0XFF	0X0000	0	0X0000	0X00	0x0000	0x0000	0x0000
50	Begin ZZ	0x00000000	0xFFFFFFFF	0X0000	0X0000	0X0000	0x0000	0x0000	0X00	0x00	0x00	0X0000	0xFF	0X0000	0X00	0x0000	0x0080	0x0000
51	End ZZ	0x00000000	0xFFFFFFFF	0X0000	0X0000	0X0000	0x0000	0x0000	0X00	0x00	0x00	0X0000	0xFF	0X0000	0X00	0x0000	0x0000	0x0000

FIG. 11B